



### 125 LB. BRASS THREADED FITTINGS

Part No.	Description	1/8" 1/4" 3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	5"	6"
<b>ELBOWS</b>														
101	90°	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓
101	90° Red	✓	✓	✓	✓	✓	✓	✓	✓	✓				
102	45°	✓	✓	✓	✓	✓	✓	✓	✓	✓				
103	90° Street	✓	✓	✓	✓	✓	✓	✓	✓	✓				
103A	45° Street	✓	✓	✓	✓	✓	✓	✓						
104	90° Drop Ells	✓	✓											
105	Side Outlet			*	*	*								
<b>TEES</b>														
106	Straight	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓
106	Red 1 Opening	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
106	Red 2 Openings	✓	✓	✓	✓	✓	✓	✓	✓	✓				
106A	Street	✓	*	✓	✓	✓		✓						
109	Side Outlet													
<b>CROSSES</b>														
110	Straight	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
110	Red			✓										
<b>COUPLINGS</b>														
111	Straight	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
112	Red 1 or 2 Sizes	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	
112	Red more than 2 Sizes		✓	✓	✓	*	✓	✓	✓	✓		✓		
<b>BUSHINGS</b>														
114	Hex Red 1 or 2 Sizes		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
114	Hex Red 3 or more Sizes		✓	✓	✓	✓	✓	✓	✓	✓		✓		
115	Face Red 1 or 2 Sizes				*	*	*	*						
115	Face Red 3 or more Sizes			*				*						
116	<b>CAPS</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
<b>PLUGS</b>														
117	Cored		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	*	✓
117A	Solid	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
118	Countersunk		✓	✓	✓	✓	✓	✓	✓	✓		✓		✓
119	<b>LOCKNUTS</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
122	<b>45° Y BRANCH</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓				
232	<b>EXTENSION PIECES</b>	*	✓	✓	✓	✓	✓	✓	✓					
240	<b>FLOOR FLANGES</b>	✓	✓	✓	✓	✓	✓	✓						
175	<b>FLANGED UNIONS</b>						*	*						
187	<b>UNIONS</b>	✓	✓	✓	✓	✓	✓	✓						

✓ = stock item

\* = call for availability



FITTINGS & FLANGES

250 LB. BRASS THREADED FITTINGS

Part No.	Description	1/8" 1/4" 3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"
	<b>ELBOWS</b>											
150	90°	✓	✓	✓	✓	✓	✓	✓	✓	✓		
151	90° Red		*	✓	*	✓	*	*				
152	45°		*	✓	✓	✓	✓	✓				
160	90° Street		*	*	✓	*	✓	*				
	<b>TEES</b>											
153	Straight	✓	✓	✓	✓	✓	✓	✓	✓			
153	Red 1 Opening		✓		✓	*						
154	<b>CROSSES</b>	*	*	✓	✓	✓	✓	✓				
	<b>COUPLINGS</b>											
157	Straight	✓	✓	✓	✓	✓	✓	✓				
156	Reducing				✓	✓	✓	✓	✓			
158	<b>CAPS</b>	*	✓	✓	✓	✓	✓	✓				
	<b>UNIONS</b>											
190	250 LB.	✓	✓	✓	✓	✓	✓	✓	✓	✓		
195	300 LB.	*	*			*						
215	Union Ells	✓	✓	✓	✓	✓	✓	✓				

150 LB. & 300 LB. BRASS THREADED FLANGES

Part No.	Description	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	5"	6"
	<b>COMPANION FLANGES- 150 LB O.D.</b>	3-1/2"	3-1/8"	4-1/4"	4-3/8"	5"	6"	7"	7-1/2"	8-1/2"	9"	10"	11"
235		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
235B	<b>BLIND FLANGES</b>		*	*		*	✓	✓	✓		✓	✓	✓
	<b>COMPANION FLANGES- 300 LB O.D.</b>	3-3/4"	4-5/8"	4-1/8"	5-1/4"	6-1/8"	6-1/2"	7-1/2"	8-1/4"	9"	10"	11"	12-1/2"
237				✓	*	✓	✓	✓	✓		✓	*	*
	<b>REDUCING FLANGES One Reduction</b>	*Price On Application											
	<b>Two Or more Reductions</b>	*Price On Application											

✓ = stock item

RED BRASS PIPE NIPPLES

DIAMETER INCHES	LENGTH OF CLOSE	Length In Inches															
		1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	3/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1/4"	7/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3/8"	1"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1/2"	1-1/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3/4"	1-3/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1"	1-1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1-1/4"	1-5/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1-1/2"	1-3/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2"	2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2-1/2"	2-1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3"	2-5/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4"	2-7/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5"	3"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6"	3-1/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ = stock item

\* = call for availability



### STAINLESS STEEL NIPPLES

TYPE 304/304L SCHEDULE 40 WELDED																		
DIAMETER INCHES	LENGTH OF CLOSE	PRICE EACH CLOSE	Length in Inches															
			1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	3/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1/4"	7/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3/8"	1"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1/2"	1-1/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3/4"	1-3/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1"	1-1/2"	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1-1/4"	1-5/8"	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1-1/2"	1-3/4"	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2"	2"	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2-1/2"	2-1/2"	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3"	2-5/8"	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4"	2-7/8"	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

TYPE 316/316L SCHEDULE 40 WELDED																		
DIAMETER INCHES	LENGTH OF CLOSE	PRICE EACH CLOSE	Length in Inches															
			1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	3/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1/4"	7/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3/8"	1"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1/2"	1-1/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3/4"	1-3/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1"	1-1/2"	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1-1/4"	1-5/8"	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
1-1/2"	1-3/4"	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2"	2"	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2-1/2"	2-1/2"	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3"	2-5/8"	✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4"	2-7/8"	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ = stock item



FITTINGS

150 LB. THREADED FITTINGS

TYPE 304 STAINLESS STEEL

Size I.P.S.	90° ELBOW	45° ELBOW	90° STREET ELL	TEE	CROSS	STRAIGHT COUPLING	HALF COUPLING	REDUCING COUPLING	HEX BUSHING	CAP	SQ. HEAD PLUG	HEX HEAD PLUG	LOCKNUT	UNION	WELDING SPUD
1/8"	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	—	—	25	25	25	25	25	10
1/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
3/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
3/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
1"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	10	10	10	10	5	25	10	25	25	10	25	10	10	10	10
1-1/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	5	5	5	5	✓	10	10	10	25	10	10	10	10	5	10
1-1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	5	5	5	5	✓	10	10	10	25	10	10	10	10	5	10
2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	5	5	5	5	✓	5	5	5	10	5	10	10	10	✓	10
2-1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	✓	✓	✓	✓	✓	✓	✓	✓	5	✓	✓	5	✓	✓	✓
3"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

TYPE 316 STAINLESS STEEL

1/8"	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	—	—	25	25	25	25	25	10
1/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
3/8"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
3/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	25	25	25	25	25	25	25	25	25	25	25	25	25	25	10
1"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	10	10	10	10	5	25	10	25	25	10	25	10	10	10	10
1-1/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	5	5	5	5	✓	10	10	10	25	10	10	10	10	5	10
1-1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	5	5	5	5	✓	10	10	10	25	10	10	10	10	5	10
2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	5	5	5	3	✓	5	5	5	10	5	10	10	10	✓	10
2-1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	✓	✓	✓	✓	✓	✓	✓	✓	5	✓	5	5	✓	✓	✓
3"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Box Qty	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ = stock item



**FLANGES**

**STAINLESS STEEL ANSI FORGED FLANGES**

**TYPE 304/304L**

150 LB.						300 LB.			
Size (in.)	Welding Neck	Slip-On	Blind	Threaded	Socket Weld	Size (in.)	Welding Neck	Slip-On	Blind
1/2	✓	✓	✓	✓	✓	1/2	✓	✓	✓
3/4	✓	✓	✓	✓	✓	3/4	✓	✓	✓
1	✓	✓	✓	✓	✓	1	✓	✓	✓
1-1/4	✓	✓	✓	✓	✓	1-1/4	✓	✓	✓
1-1/2	✓	✓	✓	✓	✓	1-1/2	✓	✓	✓
2	✓	✓	✓	✓	✓	2	✓	✓	✓
2-1/2	✓	✓	✓	✓	✓	2-1/2	✓	✓	✓
3	✓	✓	✓	✓	✓	3	✓	✓	✓
4	✓	✓	✓	✓	✓	4	✓	✓	✓
5	✓	✓	✓	✓	✓	5	✓	✓	✓
6	✓	✓	✓	✓	✓	6	✓	✓	✓
8	✓	✓	✓	✓	✓	8	✓	✓	✓
10	✓	✓	✓	✓	✓	10	✓	✓	✓
12	✓	✓	✓	✓	✓	12	✓	✓	✓

**TYPE 316/316L**

150 LB.						300 LB.			
Size (in.)	Welding Neck	Slip-On	Blind	Threaded	Socket Weld	Size (in.)	Welding Neck	Slip-On	Blind
1/2	✓	✓	✓	✓	✓	1/2	✓	✓	✓
3/4	✓	✓	✓	✓	✓	3/4	✓	✓	✓
1	✓	✓	✓	✓	✓	1	✓	✓	✓
1-1/4	✓	✓	✓	✓	✓	1-1/4	✓	✓	✓
1-1/2	✓	✓	✓	✓	✓	1-1/2	✓	✓	✓
2	✓	✓	✓	✓	✓	2	✓	✓	✓
2-1/2	✓	✓	✓	✓	✓	2-1/2	✓	✓	✓
3	✓	✓	✓	✓	✓	3	✓	✓	✓
4	✓	✓	✓	✓	✓	4	✓	✓	✓
5	✓	✓	✓	✓	✓	5	✓	✓	✓
6	✓	✓	✓	✓	✓	6	✓	✓	✓
8	✓	✓	✓	✓	✓	8	✓	✓	✓
10	✓	✓	✓	✓	✓	10	✓	✓	✓
12	✓	✓	✓	✓	✓	12	✓	✓	✓




✓ = stock item



STAINLESS STEEL BUTT WELD FITTINGS

SCHEDULE 40S

STAINLESS STEEL 304/304L 316/316L



Type of Stainless Steel (1)	Nominal Pipe Size	90° Long Radius Elbows	45° Long Radius Elbows	90° Short Radius Elbows	Caps	Tees Straight	Type A* Stub Ends (MSS)
304/304L 316/316L	1/2"	✓	✓	—	✓	✓	✓
304/304L 316/316L	3/4"	✓	✓	—	✓	✓	✓
304/304L 316/316L	1"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	1-1/4"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	1-1/2"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	2"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	2-1/2"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	3"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	4"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	5"	✓	✓	*	✓	✓	✓
304/304L 316/316L	6"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	8"	✓	✓	*	✓	✓	✓
304/304L 316/316L	10"	*	*	*	*	*	✓
304/304L 316/316L	12"	*	*	*	*	*	✓

Type of Stainless Steel (1)	Nominal Pipe Size	Reducers		Tees Reducing Outlet	Nominal Pipe Size	Reducers		Tees Reducing Outlet	Nominal Pipe Size	Reducers		Tees Reducing Outlet
		Concentric	Eccentric			Concentric	Eccentric			Concentric	Eccentric	
304/304L 316/316L	3/4" x 1/2"	✓	✓	✓	2" x 1-1/4"	✓	✓	✓	4" x 2-1/2"	✓	✓	✓
304/304L 316/316L	1" x 1/2"	✓	✓	✓	2" x 1-1/2"	✓	✓	✓	4" x 3"	✓	✓	✓
304/304L 316/316L	1 x 3/4"	✓	✓	✓	2-1/2" x 1"	✓	✓	✓	5" x 3"	✓	✓	✓
304/304L 316/316L	1-1/4 x 3/4"	✓	✓	✓	2-1/2" x 1-1/2"	✓	✓	✓	5" x 4"	✓	✓	✓
304/304L 316/316L	1-1/4 x 1"	✓	✓	✓	2-1/2" x 2"	✓	✓	✓	6" x 2"	✓	✓	✓
304/304L 316/316L	1-1/2 x 1/2"	✓	✓	✓	3" x 1"	✓	✓	✓	6" x 2-1/2"	✓	✓	✓
304/304L 316/316L	1-1/2 x 3/4"	✓	✓	✓	3" x 1-1/4"	✓	✓	✓	6" x 3"	✓	✓	✓
304/304L 316/316L	1-1/2 x 1"	✓	✓	✓	3" x 1-1/2"	✓	✓	✓	6" x 4"	✓	✓	✓
304/304L 316/316L	1-1/2 x 1-1/4"	✓	✓	✓	3" x 2"	✓	✓	✓	6" x 5"	✓	✓	✓
304/304L 316/316L	2" x 1/2"	✓	✓	✓	3" x 2-1/2"	✓	✓	✓	8" x 3"	✓	✓	✓
304/304L 316/316L	2" x 3/4"	✓	✓	✓	4" x 1-1/2"	✓	✓	✓	8" x 4"	✓	✓	✓
304/304L 316/316L	2" x 1"	✓	✓	✓	4" x 2"	✓	✓	✓	8" x 6"	✓	✓	✓

✓ = stock item

\* = call for availability





### STAINLESS STEEL BUTT WELD FITTINGS

#### SCHEDULE 10S

#### STAINLESS STEEL 304/304L 316/316L



90° ELBOW/SHORT RADIUS



SHORT PATTERN STUB END



REDUCING TEE



CAP



STRAIGHT TEE

Type of Stainless Steel (1)	Nominal Pipe Size	90° Long Radius Elbows	45° Long Radius Elbows	90° Short Radius Elbows	Caps	Tees Straight	Type A* Stub Ends (MSS)
304/304L 316/316L	1/2"	✓	✓	—	✓	✓	✓
304/304L 316/316L	3/4"	✓	✓	—	✓	✓	✓
304/304L 316/316L	1"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	1-1/4"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	1-1/2"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	2"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	2-1/2"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	3"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	4"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	5"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	6"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	8"	✓	✓	✓	✓	✓	✓
304/304L 316/316L	10"	*	*	*	*	*	✓
304/304L 316/316L	12"	*	*	*	*	*	✓

Type of Stainless Steel (1)	Nominal Pipe Size	Reducers		Tees Reducing Outlet	Nominal Pipe Size	Reducers		Tees Reducing Outlet	Nominal Pipe Size	Reducers		Tees Reducing Outlet
		Concentric	Eccentric			Concentric	Eccentric			Concentric	Eccentric	
304/304L 316/316L	3/4" x 1/2"	✓	✓	✓	2" x 1-1/4"	✓	✓	✓	4" x 2-1/2"	✓	✓	✓
304/304L 316/316L	1" x 1/2"	✓	✓	✓	2" x 1-1/2"	✓	✓	✓	4" x 3"	✓	✓	✓
304/304L 316/316L	1 x 3/4"	✓	✓	✓	2-1/2" x 1"	✓	✓	✓	5" x 3"	✓	✓	✓
304/304L 316/316L	1-1/4 x 3/4"	✓	✓	✓	2-1/2" x 1-1/2"	✓	✓	✓	5" x 4"	✓	✓	✓
304/304L 316/316L	1-1/4 x 1"	✓	✓	✓	2-1/2" x 2"	✓	✓	✓	6" x 2"	✓	✓	✓
304/304L 316/316L	1-1/2 x 1/2"	✓	✓	✓	3" x 1"	✓	✓	✓	6" x 2-1/2"	✓	✓	✓
304/304L 316/316L	1-1/2 x 3/4"	✓	✓	✓	3" x 1-1/4"	✓	✓	✓	6" x 3"	✓	✓	✓
304/304L 316/316L	1-1/2 x 1"	✓	✓	✓	3" x 1-1/2"	✓	✓	✓	6" x 4"	✓	✓	✓
304/304L 316/316L	1-1/2 x 1-1/4"	✓	✓	✓	3" x 2"	✓	✓	✓	6" x 5"	✓	✓	✓
304/304L 316/316L	2" x 1/2"	✓	✓	✓	3" x 2-1/2"	✓	✓	✓	8" x 3"	✓	✓	✓
304/304L 316/316L	2" x 3/4"	✓	✓	✓	4" x 1-1/2"	✓	✓	✓	8" x 4"	✓	✓	✓
304/304L 316/316L	2" x 1"	✓	✓	✓	4" x 2"	✓	✓	✓	8" x 6"	✓	✓	✓

✓ = stock item

\* = call for availability