


CHICAGO FAUCETS  **FAUCETS**



- 786-E3-665CP**
- Deck Mounted Fitting
 - GN2A-Rigid/Swing Goose-neck Spout
 - E3-Softflo® Aerator
 - 665-MVP™ Metering Valve and Handles
 - MVP™ Metering Cartridge



- 404-ACP**
- Deck Mounted Faucet
 - 5" Spout
 - E12-Softflo® Aerator
 - 633-Cross Handles
 - Quaturn™ Operating Cartridge
 - Not ADA Compliant




- 408-A665-12CCCP**
- Deck Mounted Wheel Chair Connection Faucet
 - 5" Spout
 - E12-Softflo® Aerator
 - 665-MVP™ Metering Valve and Handles
 - MVP™ Metering Cartridge




- 700-COLD CP**
- Deck Mounted Cold Water Fitting
 - 3 3/8" Integral Spout
 - E12-Softflo® Aerator
 - 633-Cross Handle
 - Quaturn™ Operating Cartridge
 - Not ADA Compliant




- 895-CP**
- Deck Mounted Sink Faucet
 - GN1A-Rigid/Swing Goose-neck Spout
 - E3-Softflo® Aerator
 - 369-Lever Handles
 - Quaturn™ Operating Cartridge



- 802-A335CP**
- Deck Mounted Fitting
 - 4" Integral Spout
 - E12-Softflo® Aerator
 - 335-Push-Tilt Handles
 - NAIAD™ Adjustable Self Closing Cartridge
 - Not ADA Compliant




- 1802-ACP**
- Deck Mounted Fitting
 - 4" Integral Sprout
 - E12-Softflo® Aerator
 - 1000-Single Wing Handles
 - Quaturn™ Operating Cartridge



- 445-DJ13CP**
- Wall Mounted Fitting
 - DJ13-Double Jointed Swing Spout
 - E3-Softflo® Aerator
 - Quaturn™ Operating Cartridge
 - "H" Adjustable Supply Arms



- 1100-CP**
- Deck Mounted Fitting
 - L8-Cast Swing Spout
 - E3-Softflo® Aerator
 - 1000-Single Wing Handles
 - Quaturn™ Operating Cartridge



- 540-LDCP**
- Wall Mounted Fitting
 - S6-Cast Swing Spout
 - E3-Softflo® Aerator
 - Quaturn™ Operating Cartridge
 - "G" Adjustable Supply Arms

LAKESIDE CARRIES THE LARGEST CHICAGO FAUCET PART INVENTORY IN THE STATE OF OHIO



FAUCETS AND VALVES



1201-AHA8CP

- Deck Mounted Fitting
- HA8-High Rise Swing Spout
- E12-Softflo® Aerator
- 1000-Single Wing Handles
- Quatern™ Operating Cartridge



895-317CP

- Deck Mounted Sink Faucet
- GN1A-Rigid/Swing Goose-neck Spout
- E3-Softflo® Aerator
- 317-Wrist Blade Handles
- Quatern™ Operating Cartridge



625-LPCP

- Combination Pedal Box
- Long Pedals
- NAIAD™ Self Closing Cartridge
- Double Pedal Valve for Mounting on Base of Cabinet 5 1/2" Above Floor
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet



305-CP

- Wall Mounted Fitting
- Short Spout with Pail Hook
- 3/4" Male Hose Thread Outlet
- Quatern™ Operating Cartridge
- "H" Adjustable Supply Arms



886-CP

- Wall Mounted Fitting
- L5VB-Vacuum Breaker Cast Swing Spout
- 3/4" Male Hose Thread Outlet
- Quatern™ Operating Cartridge
- "H" Adjustable Supply Arms




897-RCF

- Wall Mounted Fitting
- Vacuum Breaker Spout with Pail Hook and Wall Brace
- 3/4" Male Hose Thread Outlet
- Quatern™ Operating Cartridge
- Adjustable Supply Arms
- Rough Chrome Finish



387-CP

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- 293-6-Loose Key Handle
- Slow Compression Cartridge
- Loose Wall Flange
- 3/4" NPT Female Inlet
- Not ADA Compliant



686-RCF

- Laundry Tray Fitting
- S6-Cast Swing Spout
- E2-3/4" Male Hose Thread Outlet
- Quatern™ Operating Cartridge
- Mounting Clamps
- Rough Chrome Finish



732-OHCP

- Angle Valve with Loose Wall Flange
- Long Bonnet Non-Sag Oscillating Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPT Female Inlet
- 3/4" O.D. x 7" Tailpiece



733-VB665PSHCP

- Straight Valve
- 665-MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 3/4" O.D. x 9 7/8" Vacuum Breaker Tailpiece



DRAINS AND VALVES



1366-NF

- Twist Drain
- For 3 1/2" Sink Opening
- Slip Nut for Overflow Outlet and Blind Cap for Non-Overflow Outlet
- For Overflow Head and Elbow Use 1344-001JKRCF and 1344-002JKRCF
- 1 1/2" NPT Female or 2" NPT Male Outlet
- Not ADA Compliant



80-CP

- Pre-Rinse Valve Only
- Rubber Bound Spray Head
- Ergonomic Actuator Handle with Hold Down Ring
- Spring Cam Valve
- 3/4"-14 UNS Male Inlet
- Compatible with Fisher and T&S Hoses
- Not ADA Compliant



980-909-957-3KAGVCP

- Turret with Single Ball Valve
- EZT-Removable Serrated Hose Nozzle
- Air, Gas and Vacuum Buttons
- 957-003K-3/8" NPT x 4 3/4" Inlet Shank with Locknut and Washer



9001-NF

- Wall Mounted Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- 11 1/4" Diameter Stainless Steel Receptacle
- 1/2" NPT Female Inlet
- 1 1/4" NPS Male Outlet



9201-NF

- Wheel Chair Accessible Combination Omni-Flo Eye/Face Wash and Safety Drench Shower
- 9100-002-10" ABS Plastic Shower Head
- Integral Wrap Around Eye/Face Wash Assembly
- Stainless Steel Pull Rod
- 90° Push Paddle Handle
- 99" Maximum Overall Height
- ABS Plastic Eye Wash Receptor



923-CP

- Wall Mounted Pre-Rinse
- 23" Riser with Spring Guide
- 80-Self Closing Spray Valve
- "H" Adjustable Supply Arms
- 44" Flexible Stainless Steel Hose with Insulated Handle
- Not ADA Compliant



980-909LESS216-28CP

- Turret with Single Ball Valve Less Service Buttons
- EZT-Removable Serrated Hose Nozzle
- Less Index Button
- Index Button Purchased Separately
- 957-003K-3/8" NPT x 4 3/4" Inlet Shank with Locknut and Washer-Required for Installation (Order Separately)
- Not ADA Compliant



928-CP

- Deck Mounted Single Water Inlet Fitting
- GN2BVB-Rigid/Swing Vacuum Breaker Gooseneck Spout
- E7-Removable Serrated Hose Nozzle
- 204-Cross Handle with Cold Water Service Button
- Slow Compression Cartridge
- Not ADA Compliant



9003-NF

- Floor Mounted Pedestal Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- 10" Diameter Stainless Steel Receptacle
- 1/2" NPT Female Inlet
- 1 1/4" NPS Male Outlet



892-CP

- Atmospheric Vacuum Breaker
- 1/2" Female Inlet and Outlet
- Not ADA Compliant



892-GCP

- Concealed Piping Atmospheric Vacuum Breaker Assembly
- 1/2" Female Inlet and Outlet
- "G" Adjustable Supply Arms
- (2) Wall Flanges
- Not ADA Compliant