

FLEXOVIT® ABRASIVE PRODUCTS

Type 27
DEPRESSED CENTER GRINDING WHEELS
 For Grinding Only



HIGH PERFORMANCE

- Maximum Productivity
- Exceptional Value
- State-of-the-Art Engineering



DIMENSIONS Dia.xThk.xArbor	MAX RPM	METAL, STAINLESS		CONCRETE Heavy Duty C24/30P	Box/ Crt. Qty.
		Fast Grind A30S	Heavy Duty A24/30T		
3"x1/4"x3/8"	20,000	A0054			25/100
4"x1/4"x3/8"	15,000	A0390			25/100
4"x1/4"x5/8"	15,000	A0414	A0395		25/100
			A0406		25/100
4-1/2"x1/4"x7/8"	13,300	A1236		A0396	25/100
			A1226		25/100
4-1/2"x1/4"x5/8"-11	13,300	A1236H		A1257	25/100
			A1226H		10
5"x1/4"x7/8"	12,000	A2236		A1257H	10
			A2226		25/100
5"x1/4"x5/8"	12,000	A2236H		A2239	25/100
			A2226H		10
6"x1/4"x7/8"	10,000	A3236		A2239H	10
			A2226H		10
6"x1/4"x5/8"-11	10,000	A3236H			10
			A2226H		10
7"x1/4"x7/8"	8,600	A5356			25
			A5301		25
7"x1/4"x5/8"-11	8,600	A5356H		A5446	25
			A5301H		10
7"x5/16"x7/8"	8,600		A5551	A5446H	10
			A5551		25
9"x1/4"x7/8"	6,800	A8353			25
			A8301		25
9"x1/4"x7/8"	6,800	A8353H		A8446	25
			A8301H		10
7"x5/16"x7/8"	6,800			A8446H	10
			A8619		25

DIMENSIONS Dia.xThk.xArbor	MAX RPM	ALUMINUM	STAINLESS	IRON	Box/ Crt. Qty.
		Load Resistant A24ALU	Free Grind A30Q	Foundry CA24R	
4"x1/4"x5/8"	15,000	A0403			25/100
4-1/2"x1/4"x7/8"	13,300	A0391		25/100	25/100
		A1203			
4-1/2"x1/4"x5/8"-11	13,300	A1203H		25/100	10
		A1231H			10
5"x1/4"x7/8"	12,000	A2220			25/100
		A2231		25/100	
5"x1/4"x5/8"-11	12,000	A2220H			10
		A2231H		10	
7"x1/4"x7/8"	8,600	A5237			25
		A5331		25	
7"x1/4"x5/8"-11	8,600		A5435	25	
		A5237H			10
7"x1/4"x5/8"-11	8,600	A5331H		10	
			A5435H	10	
9"x1/4"x7/8"	6,800	A8241			25
		A8331		25	
9"x1/4"x7/8"-11	6,800		A8435	25	
		A8241H			10
9"x1/4"x7/8"-11	6,800	A8331H		10	
			A8435H	10	

We stock safety goggles, gloves, and face shields as well as many other items of safety equipment

FLEXOVIT® ABRASIVE PRODUCTS

Type 27
DEPRESSED CENTER COMBINATION WHEELS
 For Cutting, Notching & Light Grinding



Combination wheels can be used for both cutting and light grinding applications. They are ideal for metal fabrication jobs that require alternate cutting and weld grinding operation, eliminating the need for a wheel change or second tool. They are the wheel of choice for pipeline work.



HIGH
PERFORMANCE

- Maximum Productivity
- Exceptional Value
- State-of-the-Art Engineering



Type 27



Type 27 Spin-On

SPEC-SELECT

METAL, STAINLESS

A30S—Fast Cut, Grind Fast cutting/grinding with good life. Performs well on a broad range of materials, including stainless and other hard alloys. An excellent 'all purpose' spec.

A24/30T—Heavy Duty Often copied, but never equaled, A24/30T is the most rugged wheel in the industry. Flexovit's A24/30T delivers the longest life of any aluminum oxide wheel without sacrificing aggressive cutting/grinding action.

CONCRETE

C24/30P—Heavy Duty Made with silicon carbide grain, C24/30P is designed for all concrete and masonry applications. Also offers fast cutting/grinding on nonferrous metals.

DIMENSIONS Dia.xThk.xArbor	MAX RPM	METAL, STAINLESS		CONCRETE Heavy Duty C24/30P	Box/ Crt. Qty.
		Fast Cut, Grind A30S	Heavy Duty A24/30T		
4"x1/8"x3/8"	15,000	A0274	A0276		25/100
4"x1/8"x5/8"	15,000	A0264	A0255		25/100
4-3/16"x3/8"	15,000	A0331			25/100
4-3/16"x5/8"	15,000	A0337		A0341	25/100
4-1/2"x1/8"x7/8"	13,300	A0736	A0722		25/100
4-1/2"x1/8"x5/8"-11	13,300	A0736H	A07226H		10
4-1/2"x3/16"x7/8"	13,300	A0936			25/100
4-1/2"x3/16"x5/8"-11	13,300	A0936H			10
5"x1/8"x7/8"	12,000	A1737	A1722		25/100
5"x1/8"x5/8"-11	12,000	A1737H	A1722H		10
6"x1/8"x7/8"	10,000	A2736	A2721		25
6"x1/8"x5/8"-11	10,000	A3236H	A2721H		10
7"x1/8"x7/8"	8,600	A4250	A4177	A4341	25
7"x1/8"x5/8"-11	8,600	A4250H	A4177H	A4341H	10
7"x3/16"x7/8"	8,600	A4586	A4426		25
7"x3/16"x5/8"-11	8,600	A4586H	A4426H		10
9"x1/8"x7/8"	6,800	A7250	A7177	A7300	25
9"x1/8"x5/8"-11	6,800	A7250H	A7177H	A7300H	10
9"x3/16"x7/8"	6,800	A7539	A7426		25
9"x3/16"x5/8"-11	6,800	A7539H	A7426H		10


FLEXOVIT® ABRASIVE PRODUCTS

Type 27
THIN DEPRESSED CENTER CUTOFF WHEELS
 For Cutting Only



Razorblade 27®

- Razor Sharp
- Cool, Fast Cuts
- Angle Grinder Compatible



DIMENSIONS Dia.xThk.xArbor	MAX RPM	METAL, STAINLESS		STAINLESS	Box/ Crt. Qty.
		Extra Fast Cut A60SST-27	Heavy Duty A24/30T	Extra Fast Cut A30Q	
4"x3/32"x5/8"	15,000		A0265	A0221	25/100
4-1/2"x.045"x7/8"	13,300	A0481			50/200
4-1/2"x3/32"x7/8"	13,300		A0575	A0711	25/100
4-1/2"x3/32"x5/8"-11	13,300		A0575H	A0711H	10
5"x.045"x7/8"	12,000	A1581			50/200
5"x3/32"x7/8"	12,000		A1765	A1711	25/100
5"x3/32"x5/8"-11	12,000		A1765H	A1711H	10
6"x3/32"x7/8"	10,000			A2711	25
6"x3/32"x5/8"-11	10,000		A3175		25
7"x3/32"x7/8"	8,600		A3175H	A4111	25
7"x3/32"x5/8"-11	8,600		A4175	A4111H	10
			A4175H		10



The recessed Type 27 wheel allows for flush cutting without a protruding machine spindle and locking nut.



HIGH PERFORMANCE

- Maximum Productivity
- Exceptional Value
- State-of-the-Art Engineering



DIMENSIONS Dia.xThk.xArbor	MAX RPM	METAL, STAINLESS, ALLOYS				Box/ Qty.
		A60T	A46T	A36R	A36Q	
2-1/2"x.035"x3/8"	24,446	F0210				100
2-1/2"x1/16"x3/8" *	24,446		F0200 *			50
2-1/2"x.3/32"x3/8"	24,446		F0230			25
2-1/2"x1/8"x3/8" *	24,446			F0240 *		25
2-1/2"x3/16"x3/8"	24,446			F0249		25
2-1/2"x1/4"x3/8"	24,446				F0259	20
2-1/2"x3/8"x3/8"	21,696				F0269	20
2-1/2"x1/2"x3/8"	21,696				F0279	20
3"x.035"x3/8" *	25,000	F0310 *				100
3"x1/6"x3/8" *	25,000		F0320 *			50
3"x1/8"x3/8" *	25,000			F0340 *		25
3"x3/16"x3/8"	20,372			F0349		25
3"x1/4"x3/8" *	20,372				F0359 *	20
3"x3/8"x3/8" *	18,080				F0369 *	20
3"x1/2"x3/8"	18,080				F0379	20
4"x.035"x3/8" *	19,000	F0410 *				100
4"x1/16"x3/8" *	19,000		F0420 *			50
4"x3/32"x3/8"	19,000		F0430			25
4"x1/8"x3/8"	19,000			F0440 *		25
4"x4/14"x3/8"	15,278				F0459	20
4"x3/8"x3/8"	13,560				F0469	20
4"x1/2"x3/8"	13,560				F0479	20

* Also available with a 1/4" arbor

FLEXOVIT® ABRASIVE PRODUCTS

Type 1 THIN ANGLE GRINDER CUTOFF WHEELS For Cutting Only



Type 1



Use on
Angle Grinders

DIMENSIONS Dia.xThk.xArbor	MAX RPM	METAL, STAINLESS				SHEET MTL Heavy Duty A30VB39	CONCRETE Heavy Duty C30VB64	Box/ Crt. Qty.
		Extra Fast Cut		Heavy Duty				
		A60SST	A60TB	A46RB50	A36TB38			
4" x .040" x 5/8"	19,000		F1005					50
4" x 1/16" x 5/8"	19,000		F1010					50
4" x 3/32" x 5/8"	19,000				F1041			50/250
4-1/2" x .045" x 7/8"	13,300	F1207						50/200
4-1/2" x 3/32" x 7/8"	13,000				F1243			25/100
5" x .045" x 7/8"	12,000	F1407						50/200
5" x 3/32" x 7/8"	12,000				F1445			25/100
6" x .040" x 7/8"	10,186		F1705					50
6" x 1/16" x 7/8"	10,186		F1710					50
7" x 1/16" x 7/8"	8,600			F2012				25
7" x 3/32" x 7/8"	8,600				F2170			25
7" x 1/8" x 7/8"	8,600					F2311	L2312	25
9" x 3/32" x 7/8"	6,800				F3165			50
9" x 1/8" x 7/8"	6,800					F3300	L3318	50



NEW

Razorblade 27®

- Razor Sharp
- Cool, Fast Cuts
- Angle Grinder Compatible

*Type 1 Cutoff wheels must be mounted between properly relieved flanges of equal diameter and matching bearing surfaces. Such flanges must be at least 1/4 the wheel diameter. Right angle grinders may not come equipped with Type 1 flanges as standard equipment. Do not mount with Type 27 style flanges. Refer to A.N.S.I. Safety Code B7.1 for detailed information on proper mounting and guarding of Type 1 cutoff wheels.

To accommodate Type 1 wheels, Flexovit offers a reusable TYPE 1 FLANGE KIT suitable to adapt to most 4-1/2" and 5" grinders.

PART #Z0303:
TYPE 1 ADAPTOR FLANGE KIT

Type 1 Chopsaw/Miter Saw Wheels For Cutting Only



Type 1

DIMENSIONS Dia.xThk.xArbor	MAX RPM	METAL, STAINLESS		CONCRETE Heavy Duty C30UB	Box Qty.
		Fast Cut	Long Life		
		A30RB	A30SB		
10" x 3/32" x 5/8"	6,112		F3579		10
10" x 1/8" x 5/8"	6,112	F3941		L3818	10
12" x 3/32" x 1"	5,092		F4808		10
12" x 3/32" x 1"	5,092	4818			10
14" x 3/32" x 1"	4,365	F5521			10
14" x 3/32" x 1"	4,365		F5527		10
16" x 3/32" x 1"	3,820	F6521			10



HIGH PERFORMANCE

- Maximum Productivity
- Exceptional Value
- State-of-the-Art Engineering

FLEXOVIT® ABRASIVE PRODUCTS

Type 27 & 29
SUPER FLAP DISCS
 For Grinding & Finishing



ZIRCOTEX®
 &
ZIRCO MAX®

- Efficient
- Versatile
- Easy to Use

ZIRCOTEX® PREMIUM


ZIRCONIA ALUMINA with FIBERGLASS BACKING PLATE

DIMENSIONS Dia. x Arbor	MAX RPM	ZA24	ZA40	ZA60	ZA80	ZA120	Box Qty.
4" X 5/8"	15,000	Z4001F	Z4000F	Z4005F	Z4010F	Z4020F	10
4-12" x 7/8"	13,300	Z4501F	ZA500F	Z4500F	Z4510F	Z4520F	10
4-1/2" x 5/8"-11	13,300	Z4501FH	Z4500FH	Z45510FH	Z4510FH	Z4520FH	10
5" x 7/8"	12,000	Z5001F	Z5000F	Z5005F	Z5010F	Z5020F	10
7" x 7/8"	8,600	Z7001F	Z7000F	Z7005F	Z7010F	Z7020F	10
7" x 5/8"-11	8,600	Z7001FH	Z7000FH	Z7005FH	Z7010FH	Z7020FH	10



Type 29

WIRE WHEEL BRUSHES
 For Cleaning & Conditioning



Stringer Bead Wire Wheels

For weld and bead cleaning on pipes and vessels where a narrow work face is required.

DIMENSIONS Dia. x Face Width x Thread	MAX RPM	CARBON .020	STAINLESS .020	Box Qty.
4" x 1/4" x 5/8-11	20,000	C1130		1/6
			C1180	1/6
4" x 1/4" x M14-2.0	20,000	C1140		1/6
			C1190	1/6
4" x 1/4" x M10-1.25	20,000	C1150		1/6
			C1200	1/6
4" x 1/4" x M10-1.5	20,000	C1160		1/6
			C1210	1/6
4" x 1/4" x 1/2-13	20,000	C1170		1/6
			C1220	1/6
5" x 1/4" x 5/8-11	12,000	C1270		1/6
			C1275	1/6
6-1/2" x 1/4" x 5/8-11	9,000	C1110		1/6
			C1120	1/6