

LASCO® SCHEDULE 40 PVC FITTINGS

Fittings, Inc.

Coupling



(slip)

Part No.	Size (Inches)
429-003	3/8
429-005	1/2
429-007	3/4
429-010	1
429-012	1-1/4
429-015	1-1/2
429-020	2
429-025	2-1/2
429-030	3
429-040	4
429-050	5
429-060	6
429-080	8

Reducer Coupling



(slip)

Part No.	Size (Inches)
429-101	3/4 x 1/2
429-131	1 x 3/4
429-168	1-1/4 x 1
429-212	1-1/2 x 1-1/4
429-251	2 x 1-1/2
429-338	3 x 2
429-422	4 x 3
429-532	6 x 4
429-585	8 x 6

Coupling



(FIPT x FIPT)

Part No.	Size (Inches)
430-005	1/2
430-007	3/4
430-010	1
430-101	3/4 x 1/2
430-131	1 x 3/4
430-005-45	1/2 Gray
430-007-45	3/4 Gray
430-101-45	3/4 x 1/2 Gray
430-131-45	1 x 3/4 Gray

Riser Extender



(MIPT x FIPT)

Part No.	Size (Inches)
434-005	1/2 x 2-1/16 lg.
434-007	3/4 x 1-5/8 lg.
434-008	3/4 x 2-5/16 lg.
434-020	2
439-005	1/2

Female Adapter



(slip x FIPT)

Part No.	Size (Inches)
435-005	1/2
435-007	3/4
435-010	1
435-012	1-1/4
435-015	1-1/2
435-020	2
435-025	2-1/2
435-030	3
435-040	4
435-050	5
435-060	6
435-080	8

Female Adapter Reducing



(slip x FIPT)

Part No.	Size (Inches)
435-074	1/2 x 3/4
435-101	3/4 x 1/2
435-102	3/4 x 1
435-131	1 x 3/4
435-211	1 x 1-1/2

Male Adapter



(MIPT x slip)

Part No.	Size (Inches)
436-005	1/2
436-007	3/4
436-010	1
436-012	1-1/4
436-015	1-1/2
436-020	2
436-025	2-1/2
436-030	3
436-040	4
436-050	5
436-060	6
436-080	8

Male Adapter Reducing



(MIPT x slip)

Part No.	Size (Inches)
436-073	1/2 x 3/8
436-074	1/2 x 3/4
436-101	3/4 x 1/2
436-102	3/4 x 1
436-131	1 x 3/4
436-132	1 x 1-1/4
436-168	1-1/4 x 1
436-169	1-1/4 x 1-1/2
436-212	1-1/2 x 1-1/4
436-213	1-1/2 x 2
436-251	2 x 1-1/2
436-252	2 x 2-1/2
436-293	2-1/2 x 3
436-341	3 x 4

90° ELL



(FIPT x FIPT)

Part No.	Size (Inches)
408-005	1/2
408-007	3/4
408-010	1
408-012	1-1/4
408-015	1-1/2
408-020	2

90° Street ELL



(sp x slip)

Part No.	Size (Inches)
409-005	1/2
409-007	3/4
409-010	1
409-012	1-1/4
409-015	1-1/2
409-020	2

90° Street ELL



(MIPT x slip)

Part No.	Size (Inches)
410-005	1/2
410-007	3/4
410-010	1
410-012	1-1/4
410-015	1-1/2
410-020	2
410-101	3/4 x 1/2

90° Street ELL



(sp x FIPT)

Part No.	Size (Inches)
411-005	1/2
411-007	3/4
411-010	1
411-012	1-1/4
411-015	1-1/2

90° Street ELL



(MIPT x FIPT)

Part No.	Size (Inches)
412-005	1/2 PVC
412-007	3/4 PVC
412-010	1 PVC
412-012	1-1/4 PVC
412-015	1-1/2 PVC
M412-005	1/2 Poly*
M412-007	3/4 Poly*
M412-010	1 Poly*

*Not Listed by NSF

Side Outlet 90° ELL



(slip x slip x slip)

Part No.	Size (Inches)
413-010	1

Side Outlet 90° ELL



(slip x slip x FIPT)

Part No.	Size (Inches)
414-005	1/2
414-010	1
414-101	3/4 x 3/4 x 1/2
414-130	1 x 1 x 1/2

45° ELL



(slip x slip)

Part No.	Size (Inches)
417-005	1/2
417-007	3/4
417-010	1
417-012	1-1/4
417-015	1-1/2
417-020	2
417-025	2-1/2
417-030	3
417-040	4
417-050	5
417-060	6
417-080	8

45° Street ELL



(sp x slip)

Part No.	Size (Inches)
423-020	2

LASCO® SCHEDULE 40 PVC FITTINGS
Fittings, Inc.

Cross



(slip)

Part No.	Size (Inches)
420-005	1/2
420-007	3/4
420-010	1
420-012	1-1/4
420-015	1-1/2
420-020	2
420-025	2-1/2
420-030	3
420-040	4

Cross Reducing



(slip)

Part No.	Size (Inches)
420-335	3 x 3 x 1 x 1
420-337	3 x 3 x 1-1/2 x 1-1/2
420-338	3 x 3 x 2 x 2
420-419	4 x 4 x 1-1/2 x 1-1/2
420-420	4 x 4 x 2 x 2

Long Socket Coupling



(slip)

Part No.	Size (Inches)
428-015	1-1/2 (*1.825)
428-020	2 (*1.945)

*Socket depth, each side.
For Nested and Deep Socket
Couplings, See page 6.

Tee Reducing



(slip x slip x FIPT)

Part No.	Size (Inches)
402-071	1/2 x 1/2 x 1/8
402-072	1/2 x 1/2 x 1/4
402-074	1/2 x 1/2 x 3/4
402-094	3/4 x 1/2 x 1/2
402-095	3/4 x 1/2 x 3/4
402-101	3/4 x 3/4 x 1/2
402-124	1 x 3/4 x 1/2
402-125	1 x 3/4 x 3/4
402-130	1 x 1 x 1/2
402-131	1 x 1 x 3/4
402-156	1-1/4 x 1 x 1/2
402-157	1-1/4 x 1 x 3/4
402-166	1-1/4 x 1-1/4 x 1/2
402-167	1-1/4 x 1-1/4 x 3/4
402-168	1-1/4 x 1-1/4 x 1
402-199	1-1/2 x 1-1/4 x 1/2
402-202	1-1/2 x 1-3/4 x 1
402-209	1-1/2 x 1 1/2 x 1/2
402-210	1-1/2 x 1-1/2 x 3/4
402-211	1-1/2 x 1-1/2 x 1
402-212	1-1/2 x 1-1/2 x 1-1/4
402-239	2 x 1-1/2 x 1
402-247	2 x 2 x 1/2
402-248	2 x 2 x 3/4
402-249	2 x 2 x 1
402-250	2 x 2 x 1-1/4
402-251	2 x 2 x 1-1/2
402-287	2-1/2 x 2-1/2 x 1/2
402-288	2-1/2 x 2-1/2 x 3/4
402-289	2-1/2 x 2-1/2 x 1
402-290	2-1/2 x 2-1/2 x 1-1/4

Tee Reducing

(continued)



(slip x slip x FIPT)

Part No.	Size (Inches)
402-291	2-1/2 x 2-1/2 x 1-1/2
402-292	2-1/2 x 2-1/2 x 2
402-333	3 x 3 x 1/2
402-334	3 x 3 x 3/4
402-335	3 x 3 x 1
402-336	3 x 3 x 1-1/4
402-337	3 x 3 x 1-1/2
402-338	3 x 3 x 2
402-416	4 x 4 x 3/4
402-417	4 x 4 x 1
402-418	4 x 4 x 1-1/4
402-419	4 x 4 x 1-1/2
402-420	4 x 4 x 2
402-422	4 x 4 x 3
402-490	5 x 5 x 4
402-528	6 x 6 x 2
402-530	6 x 6 x 3
402-532	6 x 6 x 4

Tee



(slip x FIPT x slip)

Part No.	Size (Inches)
403-005	1/2
403-007	3/4

Tee



(FIPT x FIPT x FIPT)

Part No.	Size (Inches)
405-005	1/2
405-007	3/4
405-010	1
405-012	1-1/4
405-015	1-1/2

90° ELL



(slip x slip)

Part No.	Size (Inches)
406-003	3/8
406-005	1/2
406-007	3/4
406-010	1
406-012	1-1/4
406-015	1-1/2
406-020	2
406-025	2-1/2
406-030	3
406-040	4
406-050	5
406-060	6
406-080	8

90° ELL Reducing



(slip x slip)

Part No.	Size (Inches)
406-101	3/4 x 1/2
406-130	1 x 1/2
406-131	1 x 3/4
406-168	1-1/4 x 1
406-211	1-1/2 x 1
406-212	1-1/2 x 1-1/4
406-249	2 x 1
406-250	2 x 1-1/4
406-251	2 x 1-1/2

90° ELL



(FIPT x slip)

Part No.	Size (Inches)
407-005	1/2
407-007	3/4
407-010	1
407-012	1-1/4
407-015	1-1/2
407-020	2
407-025	2-1/2
407-030	3
407-040	4

90° ELL Reducing



(slip x FIPT)

Part No.	Size (Inches)
407-074	1/2 x 3/4
407-101	3/4 x 1/2
407-130	1 x 1/2
407-131	1 x 3/4
407-168	1-1/4 x 1
407-211	1-1/2 x 1
407-212	1-1/2 x 1-1/4
407-249	2 x 1
407-250	2 x 1-1/4
407-251	2 x 1-1/2

Tee



(slip x slip x slip)

Part No.	Size (Inches)
401-003	3/8
401-005	1/2
401-007	3/4
401-010	1
401-012	1-1/4
401-015	1-1/2
401-020	2
401-025	2-1/2
401-030	3
401-040	4
401-050	5
401-060	6
401-080	8

Tee Reducing



(slip x slip x slip)

Part No.	Size (Inches)
401-094	3/4 x 1/2 x 1/2
401-095	3/4 x 1/2 x 3/4
401-101	3/4 x 3/4 x 1/2
401-122	1 x 1/2 x 1
401-124	1 x 3/4 x 1/2
401-125	1 x 3/4 x 3/4
401-126	1 x 3/4 x 1
401-130	1 x 1 x 1/2
401-131	1 x 1 x 3/4
401-156	1-1/4 x 1 x 1/2
401-157	1-1/4 x 1 x 3/4
401-158	1-1/4 x 1 x 1
401-166	1-1/4 x 1-1/4 x 1/2
401-167	1-1/4 x 1-1/4 x 3/4
401-168	1-1/4 x 1-1/4 x 1
401-199	1-1/2 x 1-1/4 x 1/2
401-201	1-1/2 x 1-1/4 x 3/4
401-202	1-1/2 x 1-1/4 x 1
401-203	1-1/2 x 1-1/4 x 1-1/4
401-209	1-1/2 x 1-1/2 x 1/2
401-210	1-1/2 x 1-1/2 x 3/4

LASCO® SCHEDULE 40 PVC FITTINGS

Fittings, Inc.

Tee Reducing (continued)



(slip x slip x slip)

Part No.	Size (Inches)
401-211	1-1/2 x 1-1/2 x 1
401-212	1-1/2 x 1-1/2 x 1-1/4
401-238	2 x 1-1/2 x 3/4
401-239	2 x 1-1/2 x 1
401-241	2 x 1-1/2 x 1-1/2
401-247	2 x 2 x 1/2
401-248	2 x 2 x 3/4
401-249	2 x 2 x 1
401-250	2 x 2 x 1-1/4
401-251	2 x 2 x 1-1/2
401-287	2-1/2 x 2-1/2 x 1/2
401-288	2-1/2 x 2-1/2 x 3/4
401-289	2-1/2 x 2-1/2 x 1
401-290	2-1/2 x 2-1/2 x 1-1/4
401-291	2-1/2 x 2-1/2 x 1-1/2
401-292	2-1/2 x 2-1/2 x 2
401-333	3 x 3 x 1/2
401-334	3 x 3 x 3/4
401-335	3 x 3 x 1
401-336	3 x 3 x 1-1/4
401-337	3 x 3 x 1-1/2
401-338	3 x 3 x 2
401-416	4 x 4 x 3/4
401-417	4 x 4 x 1
401-418	4 x 4 x 1-1/4
401-419	4 x 4 x 1-1/2
401-420	4 x 4 x 2
401-422	4 x 4 x 3
401-486	5 x 5 x 2
401-488	5 x 5 x 3
401-490	5 x 5 x 4
401-528	6 x 6 x 2
401-530	6 x 6 x 3
401-532	6 x 6 x 4
401-582	8 x 8 x 4
401-585	8 x 8 x 6

Tee Bullhead



(slip x slip x slip)

Part No.	Size (Inches)
401-074	1/2 x 1/2 x 3/4
401-102	3/4 x 3/4 x 1
401-132	1 x 1 x 1-1/4
401-133	1 x 1 x 1-1/2
401-213	1-1/2 x 1-1/2 x 2
401-341	3 x 3 x 4

Transition Tee



(slip x slip x insert)

Part No.	Size (Inches)
1102-249	2 x 2 x 1

Tee



(slip x slip x FIPT)

Part No.	Size (Inches)
402-005	1/2
402-007	3/4
402-010	1
402-012	1-1/4
402-015	1-1/2
402-020	2
402-030	3
402-040	4

Plug



(sp)

Part No.	Size (Inches)
449-005	1/2
449-007	3/4
449-010	1
449-012	1-1/4
449-015	1-1/2
449-020	2
449-025	2-1/2
449-030	3
449-040	4

Plug



(MIPT)

Part No.	Size (Inches)
450-005	1/2
450-007	3/4
450-010	1
450-012	1-1/4
450-015	1-1/2
450-020	2
450-025	2-1/2
450-030	3
450-040	4

Adapter



(insert x slip)

Part No.	Size (Inches)
474-007	3/4
474-010	1
474-015	1-1/2

Nested Coupling



(slip)

Part No.	Size (Inches)
477-005*	1/2*
477-007	3/4
477-010	1

*1/2" nested couplings do not meet ASTM Standards for Sch. 40 fittings and are not NSF listed.

Fitting Adapter



(sp x FIPT)

Part No.	Size (Inches)
478-010	1
478-012	1-1/4
478-015	1-1/2

*See Swing Joint Price List: discounts will vary.

Deep Socket Coupling



(slip)

Part No.	Size (Inches)
482-015	1-1/2 (*2.169)
482-020	2 (*2.389)
482-025	2-1/2 (*3.385)
482-030	3 (*3.625)
482-040	4 (*3.625)

*Socket depth, each side

White PVC Union

Union (O-Ring type)



(slip x slip)

Part No.	Size (Inches)
457-005	1/2
457-007	3/4
457-010	1
457-012	1-1/4
457-015	1-1/2
457-020	2

Pressure rated at 150 p.s.i. at 73.4°F.

Union (O-Ring type)



(FIPT x FIPT)

Part No.	Size (Inches)
458-005	1/2
458-007	3/4
458-010	1
458-012	1-1/4
458-015	1-1/2
458-020	2

Pressure rated at 150 p.s.i. at 73.4°F.

Buna-N O-Ring



Part No.	Size (Inches)
40213	1/2
40216	3/4
40220	1
40225	1-1/4
40226	1-1/2
40231	2

Snap-On Tees



(Snap-On x FIPT)

Part No.	Size (Inches)
464-007	3/4
464-101	3/4 x 1/2
464-130	1 x 1/2
464-131	1 x 3/4

- Add an outlet to existing irrigation systems
- Ideal when "pulling in" an irrigation system
- Can be used with standard PVC cement
- Made from PVC for PVC pipe

LASCO® SCHEDULE 40 PVC FITTINGS
Fittings, Inc.

Reducer Bushing



(sp x FIPT)

Part No.	Size (Inches)
438-071	1/2 x 1/8
438-072	1/2 x 1/4
438-073	1/2 x 3/8
438-098	3/4 x 1/4
438-101	3/4 x 1/2
438-130	1 x 1/2
438-131	1 x 3/4
438-166	1-1/4 x 1/2
438-167	1-1/4 x 3/4
438-168	1-1/4 x 1
438-209	1-1/2 x 1/2
438-210	1-1/2 x 3/4
438-211	1-1/2 x 1
438-212	1-1/2 x 1-1/4
438-247	2 x 1/2
438-248	2 x 3/4
438-249	2 x 1
438-250	2 x 1-1/4
438-251	2 x 1-1/2
438-289	2-1/2 x 1
438-290	2-1/2 x 1-1/4
438-291	2-1/2 x 1-1/2
438-292	2-1/2 x 2
438-335	3 x 1
438-336	3 x 1-1/4
438-337	3 x 1-1/2
438-338	3 x 2
438-339	3 x 2-1/2
438-420	4 x 2
438-421	4 x 2-1/2
438-422	4 x 3
438-490	5 x 4
438-532	6 x 4

Threaded Bushing

(continued)



(MIPT x FIPT)

Part No.	Size (Inches)
439-209	1-1/2 x 1/2
439-210	1-1/2 x 3/4
439-211	1-1/2 x 1
439-212	1-1/2 x 1-1/4
439-249	2 x 1
439-250	2 x 1-1/4
439-251	2 x 1-1/2
439-292	2-1/2 x 2
439-338	3 x 2

Reducer Bushing



(sp x slip)

Part No.	Size (Inches)
437-073	1/2 x 3/8
437-101	3/4 x 1/2
437-130	1 x 1/2
437-131	1 x 3/4
437-166	1-1/4 x 1/2
437-167	1-1/4 x 3/4
437-168	1-1/4 x 1
437-209	1-1/2 x 1/2
437-210	1-1/2 x 3/4
437-211	1-1/2 x 1
437-212	1-1/2 x 1-1/4
437-247	2 x 1/2
437-248	2 x 3/4
437-249	2 x 1
437-250	2 x 1-1/4
437-251	2 x 1-1/2
437-287	2-1/2 x 1/2
437-288	2-1/2 x 3/4
437-289	2-1/2 x 1
437-290	2-1/2 x 1/4
437-291	2-1/2 x 1-1/2
437-292	2-1/2 x 2
437-334	3 x 3/4
437-335	3 x 1
437-336	3 x 1-1/4
437-337	3 x 1-1/2
437-338	3 x 2
437-339	3 x 2-1/2
437-420	4 x 2
437-421	4 x 2-1/2
437-422	4 x 3
437-488	5 x 3
437-490	5 x 4
437-528	6 x 2
437-530	6 x 3
437-532	6 x 4
437-534	6 x 5
437-582	8 x 4
437-585	8 x 6

Cap



(slip)

Part No.	Size (Inches)
447-005	1/2
447-007	3/4
447-010	1
447-012	1-1/4
447-015	1-1/2
447-020	2
447-025	2-1/2
447-030	3
447-040	4
447-050	5
447-060	6
447-080	8

Threaded Bushing



(MIPT x FIPT)

Part No.	Size (Inches)
439-005	1/2 x 1/2
439-052	3/8 x 1/4
439-072	1/2 x 1/4
439-073	1/2 x 3/8
439-098	3/4 x 1/4
439-099	3/4 x 3/8
439-101	3/4 x 1/2
439-130	1 x 1/2
439-131	1 x 3/4
439-166	1-1/4 x 1/2
439-167	1-1/4 x 3/4
439-168	1-1/4 x 1

Cap



(FIPT)

Part No.	Size (Inches)
448-005	1/2
448-007	3/4
448-010	1
448-012	1-1/4
448-015	1-1/2
448-020	2
448-025	2-1/2
448-030	3
448-040	4

"Fabricated Item"

FIPT..... Female Iron Pipe Thread
MIPT..... Male Iron Pipe Thread
slip..... Solvent Cement Socket
sp..... Spigot
T.B.E..... Threaded Both Ends
T.O.E..... Threaded One End
insert..... Barbed

LASCO® SCHEDULE 80 PVC FITTINGS

Fittings, Inc.

Tee



(slip x slip x slip)

Part No.	Size (Inches)
801-002	1/4
801-003	3/8
801-005	1/2
801-007	3/4
801-010	1
801-012	1-1/4
801-015	1-1/2
801-020	2
801-025	2-1/2
801-030	3
801-040	4
801-060	6
801-080	8

90° ELL



(slip x slip)

Part No.	Size (Inches)
806-002	1/4
806-003	3/8
806-005	1/2
806-007	3/4
806-010	1
806-012	1-1/4
806-015	1-1/2
806-020	2
806-025	2-1/2
806-030	3
806-040	4
806-060	6
806-080	8

Coupling



(slip x slip)

Part No.	Size (Inches)
829-002	1/4
829-003	3/8
829-005	1/2
829-007	3/4
829-010	1
829-012	1-1/4
829-015	1-1/2
829-020	2
829-025	2-1/2
829-030	3
829-040	4
829-060	6
829-080	8

Reducing Tee



(slip x slip x slip)

Part No.	Size (Inches)
801-101	3/4 x 3/4 x 1/2
801-130	1 x 1 x 1/2
801-131	1 x 1 x 3/4
801-168	1-1/4 x 1-1/4 x 1
801-210	1-1/2 x 1-1/2 x 3/4
801-211	1-1/2 x 1-1/2 x 1
801-212	1-1/2 x 1-1/4
801-247	2 x 2 x 1/2
801-248	2 x 2 x 3/4
801-249	2 x 2 x 1
801-250	2 x 2 x 1-1/4
801-251	2 x 2 x 1-1/2
801-290	2-1/2 x 2-1/2 x 1-1/4
801-291	2-1/2 x 2-1/2 x 1-1/2
801-292	2-1/2 x 2-1/2 x 2
801-337	3 x 3 x 1-1/2
801-338	3 x 3 x 2
801-420	4 x 4 x 2
801-422	4 x 4 x 3
801-530	6 x 6 x 3
801-532	6 x 6 x 4
801-585	8 x 8 x 6

90° ELL



(slip x FIPT)

Part No.	Size (Inches)
807-005	1/2
807-007	3/4
807-010	1
807-012	1-1/4
807-015	1-1/2
807-020	2

Reducer Coupling



(slip x slip)

Part No.	Size (Inches)
829-101	3/4 x 1/2
829-131	1 x 3/4
829-168	1-1/4 x 1
829-212	1-1/2 x 1-1/4
829-251	2 x 1-1/2
829-338	3 x 2
829-422	4 x 3
829-532	6 x 4
829-585	8 x 6

90° ELL



(FIPT x FIPT)

Part No.	Size (Inches)
808-002	1/4
808-003	3/8
808-005	1/2
808-007	3/4
808-010	1
808-012	1-1/4
808-015	1-1/2
808-020	2
808-025	2-1/2
808-030	3
808-040	4

Coupling



(FIPT x FIPT)

Part No.	Size (Inches)
830-002	1/4
830-005	1/2
830-007	3/4
830-010	1
830-012	1-1/4
830-015	1-1/2
830-020	2
830-025	2-1/2
830-030	3
830-040	4

Tee



(slip x slip x FIPT)

Part No.	Size (Inches)
802-005	1/2
802-007	3/4
802-010	1
802-012	1-1/4
802-015	1-1/2
802-020	2
802-250	2 x 2 x 1-1/4
802-251	2 x 2 x 1-1/2
802-291	2-1/2 x 2-1/2 x 1-1/2

45° ELL



(slip x slip)

Part No.	Size (Inches)
817-002	1/4
817-003	3/8
817-005	1/2
817-007	3/4
817-010	1
817-012	1-1/4
817-015	1-1/2
817-020	2
817-025	2-1/2
817-030	3
817-040	4
817-060	6
817-080	8

Female Adapter



(slip x FIPT)

Part No.	Size (Inches)
835-002	1/4
835-005	1/2
835-007	3/4
835-010	1
835-012	1-1/4
835-015	1-1/2
835-020	2
835-025	2-1/2
835-030	3
835-040	4

Tee



(FIPT x FIPT x FIPT)

Part No.	Size (Inches)
805-002	1/4
805-003	3/8
805-005	1/2
805-007	3/4
805-010	1
805-012	1-1/4
805-015	1-1/2
805-020	2
805-025	2-1/2
805-030	3
805-040	4

45° ELL



(FIPT x FIPT)

Part No.	Size (Inches)
819-005	1/2
819-007	3/4
819-010	1
819-012	1-1/4
819-015	1-1/2
819-020	2
819-025	2-1/2
819-030	3
819-040	4

Male Adapter



(MIPT x slip)

Part No.	Size (Inches)
836-005	1/2
836-007	3/4
836-010	1
836-012	1-1/4
836-015	1-1/2
836-020	2
836-025	2-1/2
836-030	3
836-040	4

LASCO[®] SCHEDULE 80 PVC FITTINGS
Fittings, Inc.

Reducer Bushing
(flush style)



(sp x slip)

Part No.	Size (Inches)
837-052	3/8 x 1/4
837-072	1/2 x 1/4
837-073	1/2 x 3/8
837-101	3/4 x 1/2
837-130	1 x 1/2
837-131	1 x 3/4
837-166	1-1/4 x 1/2
837-167	1-1/4 x 3/4
837-168	1-1/4 x 1
837-209	1-1/2 x 1/2
837-210	1-1/2 x 3/4
837-211	1-1/2 x 1
837-212	1-1/2 x 1-1/4
837-247	2 x 1/2
837-248	2 x 3/4
837-249	2 x 1
837-250	2 x 1-1/4
837-251	2 x 1-1/2
837-289	2-1/2 x 1
837-290	2-1/2 x 1-1/4
837-291	2-1/2 x 1-1/2
837-292	2-1/2 x 2
837-335	3 x 1
837-336	3 x 1-1/4
837-337	3 x 1-1/2
837-338	3 x 2
837-339	3 x 2-1/2
837-420	4 x 2
837-422	4 x 3
837-528	6 x 2
837-530	6 x 3
837-532	6 x 4
837-585	8 x 6

Reducer Bushing
(flush style)



(sp x FIPT)

Part No.	Size (Inches)
838-101	3/4 x 1/2
838-130	1 x 1/2
838-131	1 x 3/4
838-167	1-1/4 x 3/4
838-168	1-1/4 x 1
838-209	1-1/2 x 1/2
838-210	1-1/2 x 3/4
838-211	1-1/2 x 1
838-212	1-1/2 x 1-1/4
838-247	2 x 1/2
838-248	2 x 3/4
838-249	2 x 1
838-250	2 x 1-1/4
838-251	2 x 1-1/2
838-292	2 1/2 x 2
838-338	3 x 2
838-339	3 x 2-1/2
838-420	4 x 2
838-422	4 x 3
838-532	6 x 4

Reducer Bushing
(flush style)



(MIPT x FIPT)

Part No.	Size (Inches)
839-052	3/8 x 1/4
839-072	1/2 x 1/4
839-073	1/2 x 3/8
839-098	3/4 x 1/4
839-099	3/4 x 3/8

Reducer Bushing
(continued)
(flush style)



(MIPT x FIPT)

Part No.	Size (Inches)
839-101	3/4 x 1/2
839-128	1 x 1/4
839-129	1 x 3/8
839-130	1 x 1/2
839-131	1 x 3/4
839-166	1-1/4 x 1/2
839-167	1-1/4 x 3/4
839-168	1-1/4 x 1
839-209	1-1/2 x 1/2
839-210	1-1/2 x 3/4
839-211	1-1/2 x 1
839-212	1-1/2 x 1-1/4
839-247	2 x 1/2
839-248	2 x 3/4
839-249	2 x 1
839-250	2 x 1-1/4
839-251	2 x 1-1/2
839-292	2-1/2 x 2
839-337	3 x 1-1/2
839-338	3 x 2
839-339	3 x 2-1/2
839-422	4 x 3

Cap



(slip)

Part No.	Size (Inches)
847-002	1/4
847-003	3/8
847-005	1/2
847-007	3/4
847-010	1
847-012	1-1/4
847-015	1-1/2
847-020	2
847-025	2-1/2
847-030	3
847-040	4
847-060	6
847-080	8

Cap



(FIPT)

Part No.	Size (Inches)
848-002	1/4
848-003	3/8
848-005	1/2
848-007	3/4
848-010	1
848-012	1-1/4
848-015	1-1/2
848-020	2
848-025	2-1/2
848-030	3
848-040	4

Plug



(MIPT)

Part No.	Size (Inches)
850-002	1/4
850-003	3/8
850-005	1/2
850-007	3/4
850-010	1
850-012	1-1/4
850-015	1-1/2
850-020	2
850-025	2-1/2
850-030	3
850-040	4

Flange
(solid style)



(slip)

Part No.	Size (Inches)
851-005	1/2
851-007	3/4
851-010	1
851-012	1-1/4
851-015	1-1/2
851-020	2
851-025	2-1/2
851-030	3
851-040	4
851-060	6

See NOTE under "Flange Installation Data"

Flange
(solid style)



(FIPT)

Part No.	Size (Inches)
852-005	1/2
852-007	3/4
852-010	1
852-012	1-1/4
852-015	1-1/2
852-020	2
852-025	2-1/2
852-030	3
852-040	4

See NOTE under "Flange Installation Data"

Flange



(blind)

Part No.	Size (Inches)
853-005	1/2
853-007	3/4
853-010	1
853-012	1-1/4
853-015	1-1/2
853-020	2
853-025	2-1/2
853-030	3
853-040	4
853-060	6
853-080	8

See NOTE under "Flange Installation Data"

Flange
(loose ring)



(slip)

Part No.	Size (Inches)
854-005	1/2
854-007	3/4
854-010	1
854-012	1-1/4
854-015	1-1/2
854-020	2
854-030	3
854-040	4
854-050	5
854-060	6
854-080	8
854-100	10
854-120	12

See NOTE under "Flange Installation Data"

LASCO® SCHEDULE 80 PVC FITTINGS Fittings, Inc.

Flange



(spigot)

Part No.	Size (Inches)
856-005	1/2
856-007	3/4
856-010	1
856-012	1-1/4
856-015	1-1/2
856-020	2
856-030	3
856-040	4
856-050	5
856-060	6
856-080	8
856-100	10
856-120	12

See NOTE under "Flange Installation Data"

Union

(O-Ring type)



(slip x slip)

Part No.	Size (Inches)
897-002	1/4
897-003	3/8
897-005	1/2
897-007	3/4
897-010	1
897-012	1-1/4
897-015	1-1/2
897-020	2
897-030	3

30° ELL



(slip x slip)

Part No.	Size (Inches)
815-060	6

Wye



(slip x slip x slip)

Part No.	Size (Inches)
875-020	2
875-060	6

Reducing Wye



(slip x slip x slip)

Part No.	Size (Inches)
876-532	6 x 6 x 4

FIPT..... Female Iron Pipe Thread
MIPT..... Male Iron Pipe Thread
slip..... Solvent Cement Socket
sp..... Spigot
T.B.E..... Threaded Both Ends
T.O.E..... Threaded One End
insert..... Barbed

Union

(O-Ring type)



(FIPT x FIPT)

Part No.	Size (Inches)
898-005	1/2
898-007	3/4
898-010	1
898-012	1-1/4
898-015	1-1/2
898-020	2
898-030	3

Union




(O-Ring type)



(slip x FIPT)

Part No.	Size (Inches)
899-005	1/2
899-007	3/4
899-010	1
899-012	1-1/4
899-015	1-1/2
899-020	2

Flange, Installation Data



1. Recommend Gaskets: full face 1/8" thick, elastomeric, 50-70 Shore A hardness.
2. Bolt Threads should be well lubricated.
3. Nut and bolt threads should be free-running during assembly.
4. Follow illustrated bolt-tightening sequence.
5. Always use full size flat washers with bolts and nuts.


NOTE: Flanges conform to ANSI B16.5, Class 150. Socket diameters conform to ASTM D-2467. Recommended working pressure: 150 psi @ 73.4°F. Use primer and heavy bodied PVC cement.

Size	Bolt Circle Diameter	No. of Bolts	Bolt UNC x Length	Recommended Torque (Ft-Lbs)
1/2	2.37	4	1/2-13 x 1-3/4	15-20
3/4	2.75	4	1/2-13 x 1-15/16	15-20
1	3.12	4	1/2-13 x 2	15-20
1-1/4	3.50	4	1/2-13 x 2-1/4	15-20
1-1/2	3.87	4	1/2-13 x 2-3/4	15-20
2	4.75	4	5/8-11 x 3	20-30
2-1/2	5.50	4	5/8-11 x 3-1/4	20-30
3	6.00	4	5/8-11 x 3-5/8	20-30
4	7.50	8	5/8-11 x 3-3/4	20-30
5	8.50	8	3/4-10 x 3-3/4	25-35
6	9.50	8	3/4-10 x 4-3/8	33-50
8	11.75	8	3/4-10 x 4-3/8	33-50
10	14.25	12	7/8-9 x 4-1/2	53-75
12	17.00	12	7/8-9 x 4-5/8	53-75

LASCO[®] PVC-DWV FITTINGS
Fittings, Inc.


Drain, Waste and Vent Fittings

FLUSH BUSHING




SP x FPT

SPIGOT ADAPTER, CAST IRON SOIL PIPE




SP x SJ w/Chrome Nut & Washer

1/4 BEND W/LOW HEEL INLET



H x H x H

MALE ADAPTER




H x MPT

REPAIR COUPLING



H x H

LONG SWEEP 1/4 BEND




H x H

CAP




HUB

1/4 BEND




H x H

LONG SWEEP 1/4 BEND W/LOW HEEL INLET



H x H x H


ADAPTER BUSHING



SP x H


Adapts DWV Hub to S&D Spigot

1/4 BEND W/SIDE INLET




H x H

LONG SWEEP 1/4 BEND




H x SP

NO-HUB ADAPTER




H x SP

1/4 BEND, STREET



H x SP

1/6 BEND




H x H

Most fittings available in 1-1/2"–6" sizes.

LASCO[®] PVC-DWV FITTINGS
Fittings, Inc.


Drain, Waste and Vent Fittings

1/8 BEND




H x H

CLOSET BEND, REDUCING




H x H

DOUBLE SANITARY TEE




ALL HUB

1/8 BEND, STREET




H x SP

VENT ELL



H x H

VENT TEE




ALL HUB

1/16 BEND




H x H

SANITARY TEE




ALL HUB

CLEANOUT TEE W/C.O. PLUG




H x H

1/16 BEND, STREET




SP x H

SANITARY TEE, REDUCING




ALL HUB

TWO-WAY CLEANOUT




ALL HUB

DOUBLE 1/4 BEND




H x H x H

SANITARY TEE, STREET



H x H x SP

COMBINATION WYE & 1/8 BEND-LONG TURN (ONE PC.)




ALL HUB

Most fittings available in 1-1/2"-6" sizes.

LASCO[®] PVC-DWV FITTINGS
Fittings, Inc.


Drain, Waste and Vent Fittings

COUPLING



H x H

TRAP ADAPTER—MALE




SP x SJ w/Chrome Nut & Washer

FITTING CLEANOUT ADAPTER




SP x FPT

FEMALE ADAPTER




H x FPT

TRAP ADAPTER—FEMALE




H x MPT

FITTING CLEANOUT ADAPTER
W/C.O. PLUG




SPIGOT

REDUCING COUPLING




H x H

TRAP ADAPTER—FEMALE




H x SJ w/Plastic Nut & Washer

CLEANOUT PLUG W/RAISED NUT




MPT

TRAP ADAPTER—MALE



SP x MPT

EXPANSION JOINT (W/PISTON)




H x SP

CLEANOUT PLUG-FLUSH



FPT

TRAP ADAPTER—MALE




SP x SJ w/Plastic Nut & Washer

EXPANSION JOINT (W/PISTON)



H x H

FLUSH BUSHING




SP x H

Most fittings available in 1-1/2"–6" sizes.

LASCO[®] PVC-DWV FITTINGS
Fittings, Inc.


Drain, Waste and Vent Fittings

DOUBLE COMBINATION WYE &
1/8 BEND




H x H

P-TRAP




H x H

CLOSET FLANGE (ONE PC.)




HUB

WYE



ALL HUB

P-TRAP W/CLEANOUT




P-TRAP-UNION

CLOSET FLANGE (ONE PC.)




SPIGOT

WYE, STREET



WP x H x H




H x H w/Plastic Nut

CLOSET FLANGE, ADJUSTABLE
(W/METAL RING)




HUB

DOUBLE WYE




ALL HUB

SANITARY TEE, REDUCING




H x SJ w/Plastic Nut

OFFSET CLOSET FLANGE



HUB

RETURN BEND



H x H

**MOST FITTINGS AVAILABLE
IN 1-1/2"-6" SIZES.**