



Mission Rubber Company

RUBBER PRODUCTS

BAND-SEAL® SPECIALTY COUPLINGS

Shielded Transition Couplings join similar and dissimilar pipe sizes and pipe materials. Sizes 3/4" to 8" make almost any connection

- Resists shear forces while maintaining alignment
- Corrosion-resistant 300 Series stainless steel components
- Creates a rigid, durable, long lasting joint
- Internal rubber sleeve reduces noise and vibration
- Easy to assemble, disassemble and reuse
- Neoprene rubber sleeve conforms to ASTM C 564



| | | |
|---------------------------|------------------------------------|---------------------------------|
| K —Copper | P —Plastic (Schedule 40) | ST —Steel |
| C —Cast Iron | XHCI —Extra Heavy Cast Iron | D —Duriron® |
| S —Stainless Steel | TWP —Thinwall Plastic | BWT —Bathwaste Tailpiece |

FOR JOINING CAST IRON PIPE

| TO JOIN | USE COUPLING | TO JOIN | USE COUPLING | TO JOIN | USE COUPLING |
|-----------------------------|--------------|-------------------------|--------------|-------------------------|--------------|
| 1-1/2" CAST IRON TO— | | | | | |
| 3/4" Plastic | CK110 | 3" Copper | KC32 | 2" Stainless Steel | CS42 |
| 3/4" Steel | CK110 | 3" Cast Iron | C320 | 2" Steel | C420 |
| 1" Copper | CK110 | 3" Plastic | PC32 | 2-1/2" Copper | CK425 |
| 1" Plastic | CK1125 | 3" Steel | PC32 | 3" Copper | CK43 |
| 1" Steel | CK1125 | 3" Extra Hvy Cast Iron | PC32 | 3" Cast Iron | C430 |
| 1-1/4" Copper | CK1125 | 3" Cast Iron | C420 | 3" Plastic | CP43 |
| 1-1/4" Plastic | CK115 | 3" CAST IRON TO— | | | |
| 1-1/4" Steel | CK115 | 1-1/4" Plastic | CK315 | 3" Extra Hvy Cast Iron | CP43 |
| 1-1/4" Stainless Steel | CS15-125 | 1-1/4" Steel | CK315 | 3" Thinwall Plastic | TWC34 |
| 1-1/2" Copper | CK115 | 1-1/2" Copper | CK315 | 3" Stainless Steel | CS43 |
| 1-1/2" Plastic | CP150 | 1-1/2" Cast Iron | C315 | 4" Copper | CK44 |
| 1-1/2" Steel | CP150 | 1-1/2" Plastic | C315 | 4" Plastic | CP44 |
| 1-1/2" Bathwaste Tailpiece | T150 | 1-1/2" Steel | C315 | 4" Steel | CP44 |
| 2" Copper | CK215 | 2" Copper | CK32 | 4" Extra Hvy Cast Iron | CP44 |
| 2" Plastic | CP215 | 2" Cast Iron | C320 | 4" Thinwall Plastic | TWC44 |
| 2" Steel | CP215 | 2" Plastic | C320 | 5" Cast Iron | C540 |
| 3" Cast Iron | C315 | 2" Steel | C320 | 6" Cast Iron | C640 |
| 3" Plastic | CP315 | 2-1/2" Copper | CK325 | 5" CAST IRON TO— | |
| 3" Steel | CP315 | 3" Copper | CK33 | Cast Iron | C530 |
| 3" Extra Hvy Cast Iron | P315 | 3" Plastic | CP33 | Cast Iron | C540 |
| 2" CAST IRON TO— | | | | | |
| 1" Copper | CK210 | 3" Steel | CP33 | 5" Plastic | CP55 |
| 1" Plastic | CK2125 | 3" Stainless Steel | CS33 | 5" Steel | CP55 |
| 1" Steel | CK2125 | 3" Extra Hvy Cast Iron | CP33 | 6" Cast Iron | C650 |
| 1-1/4" Stainless Steel | CS2125 | 3" Thinwall Plastic | TWC33 | 6" Extra Hvy Cast Iron | CP55 |
| 1-1/4" Copper | CK2125 | 4" Copper | CK43 | 6" CAST IRON TO— | |
| 1-1/4" Plastic | CK215 | 4" Cast Iron | C430 | Cast Iron | C630 |
| 1-1/4" Steel | CK215 | 4" Plastic | CP43 | Cast Iron | C640 |
| 1-1/2" Copper | CK215 | 4" Steel | CP43 | 5" Cast Iron | C650 |
| 1-1/2" Plastic | CP215 | 4" Extra Hvy Cast Iron | CP43 | 6" Plastic | CP66 |
| 1-1/2" Steel | CP215 | 4" Thinwall Plastic | TWC43 | 6" Steel | CP66 |
| 1-1/2" Bathwaste Tailpiece | T215 | 5" Cast Iron | C530 | 6" Extra Hvy Cast Iron | CP66 |
| 2" Copper | CK22 | 6" Cast Iron | C630 | 8" CAST IRON TO— | |
| 2" Plastic | CP200 | 4" CAST IRON TO— | | | |
| 2" Steel | CP200 | 2" Copper | CK42 | 8" Plastic | CP88 |
| 2-1/2" Plastic | P2250 | 2" Cast Iron | C420 | 8" Steel | CP88 |
| 2-1/2" Steel | P2250 | 2" Plastic | C420 | 8" Extra Hvy Cast Iron | CP88 |

FOR JOINING EXTRA HEAVY CAST IRON PIPE

| TO JOIN | USE COUPLING | TO JOIN | USE COUPLING | TO JOIN | USE COUPLING |
|-------------------------------------|--------------|-------------------------------------|--------------|-------------------------------------|--------------|
| 3" EXTRA HEAVY CAST IRON TO— | | | | | |
| 1-1/2" Cast Iron | C315 | 4" Steel | P430 | 5" EXTRA HEAVY CAST IRON TO— | |
| 1-1/2" Plastic | P315 | 4" Extra Hvy Cast Iron | P430 | 5" Cast Iron | CP55 |
| 1-1/2" Steel | P315 | 4" Thinwall Plastic | TWP43 | 5" Plastic | P500 |
| 2" Copper | PK32 | 4" EXTRA HEAVY CAST IRON TO— | | | |
| 2" Cast Iron | PC32 | 3" Copper | PK43 | 5" Steel | P500 |
| 2" Plastic | PC32 | 3" Cast Iron | PC43 | 5" Extra Hvy Cast Iron | P500 |
| 2" Steel | PC32 | 3" Plastic | P430 | 6" EXTRA HEAVY CAST IRON TO— | |
| 3" Copper | PK33 | 3" Steel | P430 | 6" Cast Iron | CP66 |
| 3" Cast Iron | CP33 | 3" Extra Hvy Cast Iron | P430 | 6" Plastic | P600 |
| 3" Plastic | P300 | 3" Stainless Steel | PS43 | 6" Steel | P600 |
| 3" Steel | P300 | 4" Copper | PK44 | 6" Extra Hvy Cast Iron | P600 |
| 3" Stainless Steel | PS33 | 4" Cast Iron | CP44 | 8" EXTRA HEAVY CAST IRON TO— | |
| 3" Extra Hvy Cast Iron | P300 | 4" Plastic | P400 | 8" Cast Iron | CP88 |
| 3" Thinwall Plastic | TW033 | 4" Steel | P400 | 8" Plastic | P800 |
| 4" Cast Iron | CP43 | 4" Extra Hvy Cast Iron | P400 | 8" Steel | P800 |
| 4" Plastic | P430 | 4" Thinwall Plastic | TWP44 | 8" Extra Hvy Cast Iron | P800 |

FOR JOINING DURIRON®

| TO JOIN | USE COUPLING | TO JOIN | USE COUPLING |
|-----------------------------|--------------|-------------------------|--------------|
| 1-1/2" DURIRON® TO— | | | |
| 1-1/2" No Hub Cast Iron | DP150 | 3" 3" DURIRON® TO— | |
| 1-1/2" Sch. 40 Plastic | DP150 | 3" Sch. 40 Plastic | DP33 |
| 1-1/2" Extra Hvy Cast Iron | DP150 | 3" Extra Hvy Cast Iron | DP33 |
| 1-1/2" Iron Pipe Size Steel | DP150 | 3" Iron Pipe Size Steel | DP33 |
| | | 3" No Hub Cast Iron | DP33 |
| | | 3" Stainless Steel | DS33 |
| | | 3" Copper | DK33 |
| 2" DURIRON® TO— | | | |
| 2" Copper | DK22 | 4" DURIRON® TO— | |
| 2" No Hub Cast Iron | DP22 | 4" Sch. 40 Plastic | DC44 |
| 2" Sch. 40 Plastic | DP22 | 4" Copper | DK44 |
| 2" Extra Hvy Cast Iron | DP22 | 4" Thinwall Plastic | DK44 |
| 2" Iron Pipe Size Steel | DP22 | 4" Sch. 40 Plastic | DP44 |
| 2" Stainless Steel | DS22 | 4" Extra Hvy Cast Iron | DP44 |
| | | 4" Iron Pipe Size Steel | DP44 |
| | | 4" Stainless Steel | DS44 |

FOR JOINING COPPER


| TO JOIN | USE COUPLING | TO JOIN | USE COUPLING |
|----------------------------|--------------|----------------------------|--------------|
| 3/4" COPPER TO— | | | |
| 3/4" Copper (O.D. .875) | K075 | 2" COPPER TO— | |
| 1" COPPER TO— | | | |
| 3/4" Plastic | P075 | 1" Plastic | K215 |
| 3/4" Steel | P075 | 1-1/4" Copper | K215 |
| 1" Copper | P075 | 1-1/4" Steel | K215 |
| 1" Plastic | P175 | 1-1/4" Stainless Steel | KS215 |
| 1" Steel | P175 | 1-1/2" Copper | K215 |
| 1-1/4" Copper | P175 | 1-1/2" Cast Iron | KC215 |
| 1-1/2" Cast Iron | CK110 | 1-1/2" Plastic | KC215 |
| 1-1/2" Plastic | CK110 | 1-1/2" Steel | KC215 |
| 1-1/2" Steel | CK110 | 1-1/2" Bathwaste Tailpiece | KT215 |
| 2" Cast Iron | CK210 | 2" Copper | K200 |
| 1-1/4" COPPER TO— | | | |
| 3/4" Plastic | P175 | 2" Cast Iron | CK22 |
| 3/4" Steel | P175 | 2" Plastic | CK22 |
| 1" Copper | P175 | 2" Steel | CK22 |
| 1" Plastic | P100 | 3" Copper | K320 |
| 1" Steel | P100 | 3" Cast Iron | CK32 |
| 1-1/4" Copper | P100 | 3" Plastic | PK32 |
| 1-1/4" Plastic | K1125 | 3" Steel | PK32 |
| 1-1/4" Steel | K1125 | 3" Extra Hvy Cast Iron | PK32 |
| 1-1/2" Copper | K1125 | 4" Cast Iron | CK42 |
| 1-1/2" Cast Iron | CK1125 | 2-1/2" COPPER TO— | |
| 1-1/2" Plastic | CK1125 | 2-1/2" Copper | K250 |
| 1-1/2" Steel | CK1125 | 3" Cast Iron | CK325 |
| 2" Copper | K2125 | 4" Cast Iron | CK425 |
| 2" Cast Iron | CK2125 | 3" COPPER TO— | |
| 2" Plastic | CK2125 | 2" Copper | K320 |
| 2" Steel | CK2125 | 2" Cast Iron | CK32 |
| 1-1/2" COPPER TO— | | | |
| 1" Plastic | K1125 | 2" Plastic | CK32 |
| 1" Steel | K1125 | 2" Steel | CK32 |
| 1-1/4" Copper | K1125 | 3" Copper | K300 |
| 1-1/4" Plastic | K150 | 3" Cast Iron | CK33 |
| 1-1/4" Steel | K150 | 3" Plastic | PK33 |
| 1-1/4" Stainless Steel | KS15-125 | 3" Steel | PK33 |
| 1-1/2" Copper | K150 | 3" Extra Hvy Cast Iron | PK33 |
| 1-1/2" Cast Iron | CK115 | 4" Copper | K430 |
| 1-1/2" Plastic | CK115 | 4" Cast Iron | CK43 |
| 1-1/2" Steel | CK115 | 4" Plastic | PK43 |
| 1-1/2" Bathwaste Tailpiece | KT150 | 4" Steel | PK43 |
| 2" Copper | K215 | 4" Extra Hvy Cast Iron | PK43 |
| 2" Plastic | CK215 | 4" COPPER TO— | |
| 2" Steel | CK215 | 3" Copper | K430 |
| 3" Cast Iron | CK315 | 3" Cast Iron | CK43 |
| | | 4" Copper | K400 |
| | | 4" Cast Iron | CK44 |
| | | 4" Plastic | PK44 |
| | | 4" Steel | PK44 |
| | | 4" Extra Hvy Cast Iron | PK44 |




Mission Rubber Company

RUBBER PRODUCTS

| Materials | OUTSIDE PIPE DIAMETERS | | | | | | | | | |
|----------------------------------|------------------------|-------|--------|--------|-------|-------|-------|-------|-------|-------|
| | 3/4" | 1" | 1-1/4" | 1-1/2" | 2" | 3" | 4" | 5" | 6" | 8" |
| Steel | 1.050 | 1.315 | 1.660 | 1.900 | 2.375 | 3.500 | 4.500 | 5.560 | 6.620 | 8.620 |
| ABS/PVC Plastic (Sched. 40) | 1.050 | 1.315 | 1.660 | 1.900 | 2.375 | 3.500 | 4.500 | 5.560 | 6.620 | 8.620 |
| Cast Iron | | | | 1.900 | 2.35 | 3.350 | 4.380 | 5.300 | 6.300 | 8.380 |
| Copper | .875 | 1.125 | 1.375 | 1.625 | 2.125 | 3.125 | 4.125 | 5.125 | 6.125 | 8.125 |
| Thinwall Plastic (Sewer & Drain) | | | | | | 3.250 | 4.215 | 5.300 | 6.270 | 8.160 |
| Stainless Steel | .750 | 1.000 | 1.250 | 1.500 | 2.000 | 3.000 | 4.000 | 5.000 | 6.000 | 8.000 |
| Extra Heavy Cast Iron | | | | | 2.380 | 3.500 | 4.500 | 5.500 | 6.500 | 8.620 |
| Duriron® | | | | 2.190 | 2.630 | 3.750 | | | | |



SIZE-ON-SIZE



TRANSITION

FOR JOINING SCHEDULE 40 PLASTIC (ABS-PVC)

| TO JOIN | USE COUPLING | TO JOIN | USE COUPLING |
|----------------------------|--------------|----------------------------|--------------|
| 3/4" PLASTIC TO— | | | |
| 3/4" Plastic | P075 | 1-1/2" Copper | CK215 |
| 3/4" Steel | P075 | 1-1/2" Cast Iron | CK215 |
| 3/4" Copper (IPS) | P075 | 1-1/2" Plastic | CP215 |
| 1" Copper | P075 | 1-1/2" Steel | CP215 |
| 1" Plastic | P175 | 1-1/2" Bathwaste Tailpiece | T215 |
| 1" Steel | P175 | 2" Copper | CK225 |
| 1-1/4" Copper | P175 | 2" Cast Iron | CP200 |
| 1-1/2" Cast Iron | CK110 | 2" Plastic | CP200 |
| 1-1/2" Plastic | CK110 | 2" Steel | CP200 |
| 1-1/2" Steel | CK110 | 2-1/2" Plastic | P2250 |
| 1" PLASTIC TO— | | | |
| 3/4" Plastic | P175 | 2-1/2" Steel | P2250 |
| 3/4" Steel | P175 | 3" Copper | KC32 |
| 1" Copper | P175 | 3" Cast Iron | C320 |
| 1" Plastic | P100 | 3" Plastic | PC32 |
| 1" Copper (IPS) | P100 | 3" Steel | PC32 |
| 1-1/4" Copper | P100 | 3" Extra Hvy Cast Iron | PC32 |
| 1-1/4" Plastic | K1125 | 4" Cast Iron | C420 |
| 1-1/4" Steel | K1125 | 2-1/2" PLASTIC TO— | |
| 1-1/2" Copper | K1125 | 2" Cast Iron | P2250 |
| 1-1/2" Cast Iron | CK1125 | 2" Plastic | P2250 |
| 1-1/2" Plastic | CK1125 | 2-1/2" Steel | P250 |
| 1-1/2" Steel | CK1125 | 2-1/2" Plastic | P250 |
| 2" Copper | K2125 | 3" Plastic | P3250 |
| 2" Plastic | CK2125 | 3" Steel | P3250 |
| 2" Steel | CK2125 | 3" PLASTIC TO— | |
| 2" Cast Iron | CK2125 | 1-1/2" Cast Iron | C315 |
| 1-1/4" PLASTIC TO— | | | |
| 1" Plastic | K1125 | 1-1/2" Plastic | C315 |
| 1" Steel | K1125 | 1-1/2" Steel | C315 |
| 1" Copper (IPS) | K1125 | 2" Copper | PK32 |
| 1-1/4" Copper | K1125 | 2" Cast Iron | PC32 |
| 1-1/4" Plastic | K150 | 2" Plastic | PC32 |
| 1-1/4" Steel | K150 | 2" Steel | PC32 |
| 1-1/4" Stainless Steel | KS15-125 | 2-1/2" Plastic | P3250 |
| 1-1/2" Copper | K150 | 2-1/2" Steel | P3250 |
| 1-1/2" Cast Iron | CK115 | 3" Copper | PK33 |
| 1-1/2" Plastic | CK115 | 3" Cast Iron | CP33 |
| 1-1/2" Steel | CK115 | 3" Plastic | P300 |
| 2" Copper | K215 | 3" Steel | P300 |
| 2" Cast Iron | CK215 | 3" Stainless Steel | PS33 |
| 2" Plastic | CK215 | 3" Extra Hvy Cast Iron | P300 |
| 2" Steel | CK215 | 3" Thinwall Plastic | TWP33 |
| 3" Cast Iron | CK315 | 4" Cast Iron | CP43 |
| 1-1/2" PLASTIC TO— | | | |
| 3/4" Plastic | CK110 | 4" Plastic | P430 |
| 3/4" Steel | CK110 | 4" Steel | P430 |
| 3/4" Copper (IPS) | CK110 | 4" Extra Hvy Cast Iron | P430 |
| 1" Copper | CK110 | 4" Thinwall Plastic | TWP43 |
| 1" Plastic | CK1125 | 4" PLASTIC TO— | |
| 1" Steel | CK1125 | 3" Copper | PK43 |
| 1-1/4" Copper | CK1125 | 3" Cast Iron | P430 |
| 1-1/4" Plastic | CK115 | 3" Plastic | P430 |
| 1-1/4" Steel | CK115 | 3" Steel | P430 |
| 1-1/4" Stainless Steel | CS15-125 | 3" Extra Hvy Cast Iron | P430 |
| 1-1/2" Copper | CK115 | 3" Stainless Steel | PS43 |
| 1-1/2" Cast Iron | CP150 | 4" Copper | PK44 |
| 1-1/2" Plastic | CP150 | 4" Plastic | P400 |
| 1-1/2" Steel | CP150 | 4" Steel | P400 |
| 1-1/2" Bathwaste Tailpiece | T150 | 4" Extra Hvy Cast Iron | P400 |
| 2" Copper | CK215 | 4" Thinwall Plastic | TWP44 |
| 2" Plastic | CP215 | 5" PLASTIC TO— | |
| 2" Steel | CP215 | 5" Cast Iron | CP55 |
| 3" Cast Iron | C315 | 5" Plastic | P500 |
| 3" Plastic | P315 | 5" Steel | P500 |
| 3" Steel | P315 | 5" Extra Hvy Cast Iron | P500 |
| 3" Extra Hvy Cast Iron | P315 | 6" PLASTIC TO— | |
| 2" PLASTIC TO— | | | |
| 1" Plastic | CK2125 | 6" Cast Iron | CP66 |
| 1" Steel | CK2125 | 6" Plastic | P600 |
| 1" Copper (IPS) | CK2125 | 6" Steel | P600 |
| 1-1/4" Copper | CK2125 | 6" Extra Hvy Cast Iron | P600 |
| 1-1/4" Plastic | CK215 | 8" PLASTIC TO— | |
| 1-1/4" Steel | CK215 | 8" Cast Iron | CP88 |
| | | 8" Plastic | P800 |
| | | 8" Steel | P800 |
| | | 8" Extra Hvy Cast Iron | P800 |

| CAST IRON or PLASTIC TO CAST IRON or PLASTIC | A | | B | | C | | |
|---|-----------------------------------|-------|-----|-------|-----|-------|-----|
| | in. | mm | in. | mm | in. | mm | |
| MR56 125 | 1-1/4" PL TO 1-1/4" PL | 1.53 | 39 | 1.53 | 39 | 2.50 | 64 |
| MR56 15 | 1-1/2" CI/PL TO 1-1/2" CI/PL | 1.91 | 48 | 1.91 | 48 | 3.50 | 89 |
| MR56 15/125 | 1-1/2" CI/PL TO 1-1/4" PL | 1.91 | 48 | 1.53 | 39 | 2.50 | 64 |
| MR56 215 | 2" CI/PL TO 1-1/2" CI/PL | 2.40 | 61 | 1.91 | 48 | 3.50 | 89 |
| MR56 22 | 2" CI/PL TO 2" CI/PL | 2.40 | 61 | 2.40 | 61 | 3.50 | 89 |
| MR56 22/125 | 2" CI/PL TO 1-1/4" PL | 2.40 | 61 | 1.53 | 39 | 2.50 | 64 |
| MR56 315 | 3" CI/PL TO 1-1/2" CI/PL | 3.38 | 86 | 1.91 | 48 | 4.00 | 102 |
| MR56 32 | 3" CI/PL TO 2" CI/PL | 3.38 | 86 | 2.40 | 61 | 4.00 | 102 |
| MR56 33 | 3" CI/PL TO 3" CI/PL | 3.38 | 86 | 3.38 | 86 | 4.00 | 102 |
| MR56 415 | 4" CI/PL TO 1-1/2" CI/PL | 4.36 | 111 | 1.91 | 48 | 4.00 | 102 |
| MR56 42 | 4" CI/PL TO 2" CI/PL | 4.36 | 111 | 2.40 | 61 | 4.00 | 102 |
| MR56 43 | 4" CI/PL TO 3" CI/PL | 4.36 | 111 | 3.38 | 86 | 4.00 | 102 |
| MR56 44 | 4" CI/PL TO 4" CI/PL | 4.36 | 111 | 4.36 | 111 | 4.00 | 102 |
| MR56 53 ¹ | 5" CI/PL TO 3" CI/PL | 5.46 | 139 | 3.38 | 86 | 4.00 | 102 |
| MR56 54 | 5" CI/PL TO 4" CI/PL | 5.46 | 139 | 4.36 | 111 | 4.00 | 102 |
| MR56 55 | 5" CI/PL TO 5" CI/PL | 5.46 | 139 | 5.46 | 139 | 4.00 | 102 |
| MR56 63 ¹ | 6" CI/PL TO 3" CI/PL | 6.45 | 164 | 3.38 | 86 | 6.00 | 152 |
| MR56 64 | 6" CI/PL TO 4" CI/PL | 6.45 | 164 | 4.36 | 111 | 6.00 | 152 |
| MR56 65 "0" | 6" OVERSIZE CI/PL TO 5" CI/PL | 6.58 | 167 | 5.46 | 139 | 6.50 | 165 |
| MR56 66 | 6" CI/PL TO 6" CI/PL | 6.45 | 164 | 6.45 | 164 | 6.00 | 152 |
| MR56 85 "0" | 8" OVERSIZE CI/PL TO 5" CI/PL | 8.70 | 221 | 5.46 | 139 | 7.00 | 178 |
| MR56 86 | 8" CI/PL TO 6" CI/PL | 8.44 | 214 | 6.45 | 164 | 6.00 | 152 |
| MR56 88 | 8" CI/PL TO 8" CI/PL | 8.44 | 214 | 8.44 | 214 | 6.00 | 152 |
| MR56 1006 "0" | 10" OVERSIZE CI/PL TO 6" CI/PL | 10.70 | 272 | 6.53 | 166 | 7.00 | 178 |
| MR56 1008 | 10" CI/PL TO 8" CI/PL | 10.50 | 267 | 8.44 | 214 | 6.50 | 165 |
| MR56 1010 | 10" CI/PL TO 10" CI/PL | 10.50 | 267 | 10.50 | 267 | 6.50 | 165 |
| MR56 1210 | 12" CI/PL TO 10" CI/PL | 12.50 | 318 | 10.50 | 267 | 6.50 | 165 |
| MR56 1212 | 12" CI/PL TO 12" CI/PL | 12.50 | 318 | 12.50 | 318 | 6.50 | 165 |
| MR56 1512 ¹ | 15" CI/PL TO 12" CI/PL | 15.25 | 387 | 12.50 | 318 | 6.00 | 152 |
| MR56 1515 | 15" CI/PL TO 15" CI/PL | 15.25 | 387 | 15.25 | 387 | 6.00 | 152 |
| MR56 1616 | 15" TO 15" CI/SCH 40 (16.0" O.D.) | 15.70 | 398 | 16.00 | 406 | 10.00 | 254 |
| MR56 1815 ¹ | 18" CI/PL TO 15" CI/PL | 18.75 | 476 | 15.25 | 387 | 10.00 | 254 |
| MR56 1818 | 18" CI/PL TO 18" CI/PL | 18.75 | 476 | 18.75 | 476 | 10.00 | 254 |
| MR56 2121 | 21" CI/PL TO 21" CI/PL | 21.90 | 556 | 21.90 | 556 | 10.00 | 254 |
| MR56 2424 | 24" CI/PL TO 24" CI/PL | 24.80 | 630 | 24.80 | 630 | 10.00 | 254 |
| MR56 2727 | 27" CI/PL TO 27" CI/PL | 27.90 | 709 | 27.90 | 709 | 10.00 | 254 |

¹Supplied with a flanged bushing.

[•]Denotes available ARC sizes.




RUBBER PRODUCTS

BAND-SEAL® END CAPS

Flexible rubber end caps for capping cast iron, steel, PVC and BAS pipe ends. Sizes 1-1/2" through 12"

FEATURES

- **Strong X-Brace**—Molded “X” braces end cap against head pressures encountered in testing. Axially tapered design distributes and dissipates internal stresses
- **Tough and Reusable**—Fast and easy to use over and over, and withstands rough field handling. 300 Series stainless steel clamp may be tightened or loosened in seconds with a screwdriver or wrench
- **Needs No Plastic Liner**—So strong it doesn’t need the usual reinforcing plastic disk or liner. So easy to put on and take off that it makes an ideal permanent clean-out. Perfect protection against entry of dirt into pipe plus resists water and ozone
- **Tight-fitting Internal Cone**—Creates wedge against pipe inside, balancing outward strains against the restricting exterior steel band



| Product No. | END CAP |
|-----------------|----------------|
| 0701 011 | 1-1/2" End Cap |
| 0702 019 | 2" End Cap |
| 0703 017 | 3" End Cap |
| 0704 015 | 4" End Cap |
| 0705 020 | 5" End Cap |
| 0706 028 | 6" End Cap |
| 0708 016 | 8" End Cap |
| 0712 018 | 12" End Cap |

BAND-SEAL® END CAPS WITH HOSE BIBB

Flexible rubber end caps for testing cast iron or Schedule 40 plastic pipe

FEATURES

- Permits contractors to direct the flow and drainage of water used during and after testing
- Eliminates need to fill DWV system from roof vent
- Handy, convenient, one-piece unit

| Product No. | END CAP |
|-----------------|----------------------------|
| 0701 516 | 1-1/2" End Cap w/hose bibb |
| 0702 514 | 2" End Cap w/hose bibb |
| 0703 512 | 3" End Cap w/hose bibb |
| 0704 510 | 4" End Cap w/hose bibb |
| 0705 517 | 5" End Cap w/hose bibb |
| 0706 515 | 6" End Cap w/hose bibb |

