



Plastic Oddities, Inc.

**PLUMBING SPECIALTIES**

**GENERAL PURPOSE DRAIN w/4" STRAINER**


General purpose drainage requirements where clamping of a waterproof membrane is not required.



PVC	ABS	SIZE	DESCRIPTION
PGP-300	AGP-301	2" x 3"	w/Stamped ss strainer

**GENERAL PURPOSE DRAIN w/6" STRAINER**

General purpose drainage requirements where clamping of a waterproof membrane is not required.




PVC	ABS	SIZE	DESCRIPTION
PGP-508	AGP-509	4"	w/Nickeland strainer

**SNAP-IN® GENERAL PURPOSE DRAIN**

Allows cutting pipe flush with floor.


May also be utilized as a strainer for air vent or vent stack.



PVC	ABS	SIZE	DESCRIPTION
PSI-304	ASI-305	2"	All plastic
PSI-306	ASI-307	3"	w/3-1/2" ss strainer
PSI-308	ASI-309	4"	w/3-1/2" ss strainer

**PLASTIC UTILITY DRAIN**

Strainer is hinged to body.



PVC	SIZE	DESCRIPTION
PUT-64	1-1/2" x 2"	6" x 6" Utility general purpose
PUT-66	2" x 3"	6" x 6" Utility general purpose
PUT-96	3' x 4"	9" x 9" Utility general purpose
PUT-98	4"	9" x 9" Utility general purpose


**FIBERGLASS SHOWER STALL DRAIN w/4-1/4" STRAINER**

Receptor base design allows secondary drainage to occur around strainer.

Sealing and friction gaskets for positive seal to shower base.



PVC	SIZE	DESCRIPTION
PFG-600	2"	w/Stamped ss strainer




**LOW PROFILE FLOOR / SHOWER STALL DRAIN w/STRAINER**



Key hole slots in clamping collar allow clamping of waterproofing membrane without removing bolts.

Beveled edge for ease of installation and elimination of standing water.




PVC	SIZE	DESCRIPTION
*PBR-406	2" x 3"	w/4" Stamped ss strainer

**HEAVY DUTY FLOOR DRAIN w/5" STRAINER w/PLASTIC TAILPIECE**

3-1/2" IPS barrel allows adjustment to finished floor level.

Available tapped for trap primer.



PVC	ABS	SIZE	DESCRIPTION
PHD-828	AHD-829	4"	w/5" Nickeland sundial str



## PLUMBING SPECIALTIES

### OFFSET CLOSET FLANGE

Allows at least a 2" margin of error in roughing in a commode.

Fits over 3" or inside 4" pipe.



PVC	SIZE	DESCRIPTION
POF-100	3" x 4"	2" Offset flange

### FLUSH-FIT® CLOSET FLANGE

Mounting slots on four sides of flange to allow precise alignment of water closet.

Pipe may be cut flush with floor.

Four countersunk holes for secure attachment to floor.




PVC	SIZE	DESCRIPTION
PFF-102	3" x 4"	Flush-Fit® flange w/o test cap
PFF-104	3" x 4"	Flush-Fit® flange with test cap

### 3" SPIGOT FIT CLOSET FLANGE

Fits inside 3" Schedule 40 DWV hub (elbow, tee, coupling, etc.).

Mounting slots on four sides of flange to allow precise alignment of water closet.

Four countersunk holes for secure attachment to floor.




PVC	SIZE	DESCRIPTION
PCF-130	3"	Spigot fit closet flange w/o test cap

### 4" SPIGOT FLUSH-FIT® CLOSET FLANGE

Fits inside 4" Schedule 40 DWV hub (elbow, tee, coupling, etc.).

Four countersunk holes for secure attachment to floor.

Pipe may be cut flush with floor.




PVC	SIZE	DESCRIPTION
PCF-130	3"	Spigot fit closet flange w/o test cap

### FORM-A-SPACE PLASTIC COLLAR

Forms a 1/2" void around pipe in concrete slab.

Eliminates chipping of concrete when closet flanges, drains, etc. must be installed over the pipe.



PVC	SIZE	DESCRIPTION
FAS-3	3"	Form-A-Space collar
FAS-4	4"	Form-A-Space collar
FAS-34	3" x 4"	Form-A-Space collar, kit

### ADJUSTABLE THREADED URINAL FLANGE

(Accepts standard 2" threaded pipe)

Accepts galvanized, cast iron and plastic pipe.

Horizontal slots accommodate urinals with 4" to 6" flange mount centers.

Kit includes all bolts, nuts, washers and gaskets.

PVC	ABS	SIZE	DESCRIPTION
PTU-110	ATU-111	2"	Horizontally adj threaded urinal flange kit
PTU-112	ATU-113	2"	Horizontally adj threaded urinal flange



### CAST THREADED URINAL FLANGE

Accepts galvanized, cast iron and plastic pipe.

Horizontal slots accommodate urinals with 4" to 7" flange mount centers.

Cast brass.

Kit contains: 1 brass urinal flange, 1 flexible PVC spud gasket, 2 closet bolts, 2 nuts and 2 washers.



PART NO.	SIZE	DESCRIPTION
BTU-112	2"	Threaded brass urinal flange
BKT-112	2"	Threaded brass urinal flange kit



### SPIGOT FIT URINAL FLANGE

Solvent welds directly into any 2" tee, elbow, coupling, etc.

Horizontal slots accommodate urinals with 4" to 7" flange mount centers.

PVC	ABS	SIZE	DESCRIPTION
PKT-114	AKT-115	2"	Spigot fit urinal flange kit
PKT-116	AKT-117	2"	Spigot fit urinal flange





**PLUMBING SPECIALTIES**

**SNAP-IN® CLEANOUT ASSEMBLY**

2" x 3" fits over 2", inside 3" pipe.

3" x 4" fits over 3", inside 4" pipe.




PVC	SIZE	DESCRIPTION
PSC-23	2" x 3"	w/Recessed head plastic plug
PSC-34	3" x 4"	w/Recessed head plastic plug

**RECESSED HEAD PLASTIC CLEANOUT PLUG  
W/METAL INSERT**

Recessed slot / square design for 3/4 ratchet or t-slot tool.


1/4" – 20 threaded metal insert for mounting access cover.



PVC	SIZE	DESCRIPTION
PIP-2	2"	Plastic recessed head plug w/metal insert
PIP-3	3"	Plastic recessed head plug w/metal insert
PIP-35	3-1/2"	Plastic recessed head plug w/metal insert
PIP-4	4"	Plastic recessed head plug w/metal insert
SSA-600	6"	Stainless steel cleanout access cover w/1/4" x 2' screw

**TRAPS**

Smooth flowing one piece PVC  
Sched. 40 DWV pipe.



PART NO.	SIZE	DESCRIPTION
P-46705	1/2"	P-trap
P-46708	3/4"	P-trap
P-46710	1"	p-trap
P-46805	1/2"	Running trap
P-46808	3/4"	Running trap
P-46810	1"	Running trap

**CAST MONITOR WELL COVER**

Cast brass.

Monitor Well identification, .250 thickness.



PART NO.	SIZE	DESCRIPTION
SP-9mw	5-1/2"	Scoriated cast brass monitor well cover

**INSIDE PIPE CUTTER**

Fits all electric drills.

Cuts from inside pipe, self sharpening, concrete will not damage blade.



PART NO.	SIZE	DESCRIPTION
IP-1k	2"	Shaft and 1 cutter disk, bagged
IP-2k	2"	Shaft and 2 cutter disks, bagged
IP-3k	3"	Shaft and 2 cutter disks, bagged
RB-3k	-	3 Replacement cutter disks, bagged

**FAX US YOUR INQUIRIES  
TO 216-941-8408 or  
E-MAIL US AT  
sales@lakesidesupply.com  
FOR FAST PRICE AND  
DELIVERY QUOTATIONS**